ENVIRONMENTAL
HEALTH & ENGINEERING

Environmental Health
& Engineering, Inc.

117 Fourth Avenue
Needham, MA
02494-2725

TEL 800-825-5343
781-247-4300
FAX 781-247-4305

www.eheinc.com

ID = 19

Home Inspection/Questionnair Form

House ID 081209FL02

Date 5/8/10

Field Technician(s) TWT/BSB

House Address (b)(6)

General Weather Description Hot 90s

1. Questionnaire

1) Interviewed home owner YES NO

2) Age of the House (years)

3 years

3) Estimated Floor Area (sqft)

4200 ft²

4) Was as there any demo's to the house?

YES (NO)

If YES, when was it done? Please Explain.

5) Has there been any fire in the building?

YES (NO)

If YES, when did it happen? Please Explain.

6) Any pesticides/herbicides been applied around the building or in the yard?

YES (NO)

If YES, when was it applied? Please list the type of chemicals used.

7) Has there been any recent painting/staining done in the home?

YES (NO)

If YES, when, where and what type of paint/stain was used?

_____.

8) Has any work been done on the AC system since construction?

(YES) NO

If YES, please describe? AC coils on Both AHU's replaced about 6 months ago

_____.

9) Are all the AC system components original?

YES (NO)

If NO, please describe?

All original except for AC coils.

10) What is the age of your refrigerator?

_____ years } Refrig is original but was repaired once already.

11) Has any piping been replaced in the home?

YES (NO)

If YES, please describe?

_____.

2. Building Characteristics

1) Residential Type (Single/Multi-Family Building) If multi-family, how many units?

Single Family

2) Number of rooms

5 Beds

3) Above grade Construction

(Wood Frame) Concrete Stone Brick Other _____

4) Basement

Full Crawlspace (Slab) Other _____

5) Foundation

(Concrete) Cinder Block Stone Other_____

6) Garage

(YES) NO

If YES, (Attached) Detached

If YES, Used for Car Parking? (YES) NO

If YES, Any gas-powered equipment or cans of gasoline/fuels stored?

YES NO

7) Type of HVAC System

Make (b)(3):Exemptio HVAC Model (b)(3):Exemption 3 for fairness Condenser Model _____

8) Types of Fuel (circle all that apply)

Natural Gas Fuel Oil Kerosene (Electric)

Propane Solar Wood Coal

9) Water Supply

(Public) Well Other _____

10) Sewage

(Public) Septic Leach Field Other _____

11) Attic

Finished (Unfinished)

3. Interior Characteristics

1) Any odors upon entering the building? chemical like chinese d-y wall "Burnt match"

YES NO

If YES, is the odor drywall related (H2S, rotten egg, burned match, sulfur-like)?

YES NO

If YES, describe _____

If NO, is the odor coming from other sources (perfume, air freshener, etc.)?

If NO, describe _____

2) Fireplace

YES NO

3) Floors (circle all that apply)

Hardwood Carpet Ceramic Tile Vinyl Tile

Unfinished Wood Unfinished Concrete Other Tiles

4) Walls (circle all that apply)

Wall Paper Paint Skim Coat Textured

Wood or Wood Paneling Other _____

5) Ceiling (circle all that apply)

Wall Paper Paint Skim Coat Textured

Wood or Wood Paneling Other _____

→ Note other odors thruout home includ air freshners. Resident uses these To offset the drywall odor.

(b)
(3):Exemption
3 for fairness

* Microwave Board replaced 2x and now Broken again.

House Address (b)(6)

Page



House Address (b)(6)

Page _____

N



House Address (b)(6) Page



BULK SAMPLE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/8/10

Home Address: (b)(6)

Project#: 17131

Field Person(s): TQT/ BJB

SAMPLE ID	FLOOR	LOCATION	WALL COOR.	LOCATION ID (SAME AS XRF LOG)	NOTES
110361	1	Living Room		A	
110362	1	|		A	
110363	1	|		B	
110364	1	|		B	
110365	1	|		C	
110366	1	|		C	
110367	1	|		D	
110368	1	|		D	
110369	1	Guest Bed 1		E	
110370	1	|		E	
110321	1	|		F	
110372	1	|		F	
110373	1	|		G	
110374	1	|		G	
110325	1	|		H	
110376	1	|		H	
110377	1	Master Bed		I	
110378	1	|		I	
110379	1	|		J	
110380	1	|		J	
110381	1	Master Bed Hall		K	
110382	1	1		K	
110383	1	Master Bed		L	
110384	1	L		L	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

VISUAL CORROSION I SPECTION FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/6/10

Home Address: [redacted]

Project#: 13131

Field Person(s): TQT/ BSB

LOCATION ID	FLOOR	LOCATION	WALL COOR.	SAMPLE LOCATION	CORROSION RATING	PHOTO ID #	NOTES
		HVAC ~~HEATING~~ Cool COIL AHU1		Across ½ bath Kitchen near	3	223-~~229~~ 229	Coils changed 6 months ago
		HVAC ~~ELEC/MECH~~ Cool AH-2		In Hallway	3	230-235	" " " " RCSA-HA60Z24AG
		CIRCUIT BREAKER					
	1	REFRIGERATOR		Kitchen		217-221	
		~~HOT WATER HEATER~~					
	1	Living Room		A	3		
	1	"		B	3		
	1	"		C	3		
	1	"		D	3		
	1	Guest Bed 1		E	3		
	1	|		F	3		
	1	|		G	3		
	1	|		H	3		
	1	Master Bed		I	3		
	1	L		J	3		
	1	Master Bed Hall		K	3		
	1	Master Bed		L	3		

CORROSION RATING: 0 = No Grounding Wire, 1 = No Corrosion, 2 = Some Corrosion, 3 = Heavy Corrosion

VOC SAMPL FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/8/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TQT / BJB

SAMPLE ID	CANISTER ID	FLOW CONTROL ID	GAUGE ID	FLOOR	LOCATION	SAMPLE TYPE	GAUGE PRESSURE START	START TIME	GUAGE PRESSURE END	END TIME	NOTES
110354	AC01537	FC00618	AVG01066	1	Living Room	S	30	9:10	10	11:10	
110355	AC01209	FC00501	AVG01560	1		D	30+	9:10	7	11:10	
110356	AC00796	FC00142	AVG01250	1	Master Bedroom	S	30+	9:11	9	11:11	
110357	AC01309	FC00655	AVG01061	1	Outdoors	S	30	9:13	8	11:13	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

E mental Health & Engineering, Inc.
11 ourth Avenue
Needham, MA 02494

Tel: (781) 247-4300
Fax: (781) 247-4305

TSI Q-Trak Pre-Field Usage Calibration Check

Project #: 17131

Client: CRSC

Calibration technician: ~~BJS~~

Calibration check date: 5/8/10

Number of Qtraks for this project: 2 QT13

Qtrak Source: EHE or OUTSIDE RENTAL (circle one)	Unit ID#	Serial Number:
If rental, rental company name:		

		Standard (ppm, degree F, %)	Instrument Reading, Pre-Calibration	Reset cal. points? (Y or N)	Reading after cal (if required)	Allowed difference
CO (ppm)	zero	0.0				± 2 ppm
	span					± 3 ppm
CO_2 (ppm)	zero	0.0	14	N		± 25 ppm
	span	1000	1006			± 50 ppm
Temp (°F)						± 1°F
% RH						± 3 %

Pre-functional checklist:	Y or N
AC adapter/ext. cord present and operational	
Time/Date Correct	
Logging interval/Averaging time correct	
Instrument complete including monitoring placard, stand, instruction placard	

CO/CO2 cal. uses certified Airgas gas standard
Temp. cal. uses NIST calibrated thermometer (Vaisala, Inc.)
RH cal. uses NIST calibrated humidity meter (Vaisala, Inc.)

E[illegible]mental Health & Engineering, Inc.
11[illegible]ourth Avenue
Needham, MA 02494

Tel: (781) 247-4300
Fax: (781) 247-4305

TSI Q-Trak Pre-Field Usage Calibration Check

Project #: 17131

Client: CSC

5/8/10

Calibration technician: JB

Calibration check date: 5/8/10

Number of Qtraks for this project: 2

QT030

Qtrak Source: EHE or OUTSIDE RENTAL (circle one)	Unit ID#	Serial Number:
If rental, rental company name:		

		Standard (ppm, degree F, %)	Instrument Reading, Pre-Calibration	Reset cal. points? (Y or N)	Reading after cal (if required)	Allowed difference
CO (ppm)	zero	0.0				± 2 ppm
	span					± 3 ppm
CO_2 (ppm)	zero	0.0	6	N		± 25 ppm
	span	1000	996			± 50 ppm
Temp (°F)						± 1°F
% RH						± 3 %

Pre-functional checklist:	Y or N
AC adapter/ext. cord present and operational	
Time/Date Correct	
Logging interval/Averaging time correct	
Instrument complete including monitoring placard, stand, instruction placard	

CO/CO2 cal. uses certified Airgas gas standard
Temp. cal. uses NIST calibrated thermometer (Vaisala, Inc.)
RH cal. uses NIST calibrated humidity meter (Vaisala, Inc.)

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 1713 1

Client: CPSC

Field Person: BTS / Team

Building Address: (b)(6) st

Datalogger ID #: See Below

Calibration verification date: 5/8/10

Location:
(Floor, suite, person, etc.)

Parameters: CO2 ☒ CO ☐ Temp ☐ RH ☐ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE _____ START TIME _____ INITIALS _____

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:**

Location: _____

Start Date: _____

Start Time: _____

End Date: _____

End Time: _____

Measurement Time: _____

CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data):

		Start
QT30	Living Room	9:30
QT13	M Bedrm	9:31

CO2 released 11:17
CO2 stop @ 11:42
* QT13 found dead after lunch; relaunched @ 14:00

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: TQT / BJB Building Address: (b)(6)

Datalogger ID #: 2415759

Calibration verification date: _____

Location: Supply in ½ bath next to Kitchen
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/18/10 START TIME 9:01 AM INITIALS _____

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:**

Location: _____

Start Date: _____

Start Time: _____

End Date:

End Time:

Measurement Time: _____

CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 12131 Client: CPSC

Field Person: BSB/TQT Building Address: (b)(6)

Datalogger ID #: 24/2443

Calibration verification date: _____

Location: Master Bedroom
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 6/8 START TIME 8:59 AM INITIALS _____

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: TQT/ BSB Building Address: (b)(6)

Datalogger ID #: 2412458

Calibration verification date: _____

Location: Living Room
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/8/10 START TIME 9:02 AM INITIALS _____

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO: Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: End Time:

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

PASSIVE SAM .E FIELD DATA

1068

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/8/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TQT/ BJB

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110391	1	Master Bed rm	Ald	S	5/8/10	14:25	5/21/10	8:10	12 DAYS 17 HRS 45 MIN
110397	1	—	Ald	FB		14:35			0
110398	1	Living RM		S					12 D 17 HR 35 MIN
110399	1	Living RM		D					
110400	1	Outdoor		S					

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

1069

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5-8-10

Home Address: [redacted]

Project#: 17131

Field Person(s): TQT/ BJB

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
✓ 110390	1	master Bedrm	H_2S	S	5/8/10	1425	5/21/10	8:10	12 DAYS ~~17 HRS~~ 17 HRS 45 MIN
✓ 110392	1	—	H_2S	FB		1430	—	—	0
✓ 110393	1	—	H_2S	FB		1430	—	—	0
✓ 110394	1	Living RM	H_2S	S		1430	5/21/10	8:10	12 D 17 HR 45 MIN
✓ 110395	1	Living Room	H_2S	D		1430	↓	↓	↓
✓ 110396	1	OUTDOORS	H_2S	S	↓	1432	↓	↓	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

0067

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/6/10

Home Address: [redacted] ID=19

Project#: 17131

Field Person(s): TQT/BSB

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110385	1	Living Room	Coupons	S	5/6/10	14:20	5/21/10	8:25	C# 67439 T# 02682
110386	1	"		D					C# 67440 T# 02682
110387	1	Mast Bedrm		S					C# 67446 T# 02682
110388		Outside		S					C# 67431 T# 02682
110389	1	# ½ bath next to Kitchen Supply		S					C# 67434 T# 02682
									12 DAYS 17HR 30 MN (ALL)

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: TQT / BJB Building Address: (b)(6)

Datalogger ID #: 2415759

Calibration verification date: _____

Location: Supply in ½ bath next to Kitchen
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE	5/18/10	START TIME	9:01 AM	INITIALS	

STOP DATE		STOP TIME		INITIALS	

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:**

Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data):

UNABLE TO DOWNLOAD on 5/21 - "Reading the Logger header failed. Communication failure or bad header format. Readout cannot occur at this time. To fix problem, perform a launch, which rewrites a default header to the logger."

Did not relaunch - continued datalogging

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 12131 Client: CPSC

Field Person: BSB/TQT Building Address: (b)(6)

Datalogger ID #: 24124473

Calibration verification date: _____

Location: Master Bedroom
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/18 START TIME 8:59 AM INITIALS _____

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data):

Unable to download - continued logging 5/21

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: TQT/ BSB Building Address: (b)(6)

Datalogger ID #: 24124578

Calibration verification date: _____

Location: Living Room
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☑ RH ☑ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE	5/8/10	START TIME	9:02 Am	INITIALS	

STOP DATE		STOP TIME		INITIALS	

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable):

Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data):

Unable to download - continued logging 5/21

PASSIVE SAM .E FIELD DATA

Page __ of ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Home Address: [redacted] (b)(6)

Field Person(s): WEC

Date: 5/21/10

Project#: 17131

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111046	1	LR	ALDEHYDES	S	5/21/10	9:05	6/3/10	17:30	25m
111047	1	LR	↓	D	↓	↓	↓	↓	
111048	1	MASTER BR	↓	S	↓	↓	↓	↓	
111049	—	OUTDOORS	↓	S	↓	↓	↓	↓	
111050	—	BLANK	↓	FB	↓	↓	↓	↓	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: ODSC

Date: 5/21/10

Home Address: [redacted]

Project#: 17131

Field Person(s): WEC

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111040	1	LR	H_2S	S	5/21/10	9:00	6/3/10	1730	13D 8H 30M
111041	1	LR	↓	D	↓	↓	↓	↓	
111042	1	MASTER BR	↓	S	↓	↓	↓	↓	
111043	—	OUTDOORS	↓	S	↓	↓	↓	↓	
111044	—		↓	FB	~	→	→	↓	
111045	—		↓	FB	→	→	→	↓	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/21/10

Home Address: (b)(6)

Project#: 17131

Field Person(s): WEC

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES Coupon # / TRACKING #
111036	1	LR	COUPON	S	5/21/10	8:40	6/3/10	1730	67937 / 02697
111037	1	MASTER BR	↓	↓	↓	↓	↓		67950 / 02697
111038	1	DIFFUSER - 1/2 BATH	↓	↓	↓	↓	↓	↓	#67632 / 02687
111039	—	OUTDOORS	↓	↓	↓	↓	↓	↓	67944 02697

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM. _E FIELD DATA

1120

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CFSC

Date: 6/3/10

Home Address: [redacted] 00 ID=19

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111302		LIVING ROOM	ALDEHYDE	S	6/3/10	17 35	6/16/10	17 35	
111303		"	"	D	"	"	"	"	
111304		MASTER	"	S	"	"	"	"	
111305		OUTDOORS	"	S	"	"	"	"	
111306	—	—	—	FB	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Page ___ ___

1119

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 6/3/10

Home Address: [redacted] ID=19

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111296		LIVING ROOM	H_2S	S	6/3/10	1735	6/16/10	1735	
111297		〃	〃	D	〃	〃	〃	〃	
111298		MASTER	〃	S	〃	〃	〃	〃	
111299		OUTDOORS	〃	S	〃	〃	〃	〃	
111300		〃	〃	FB	〃	〃	〃	〃	
111301		〃	〃	FB	〃	〃	〃	〃	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

1128

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 6/3/10

Home Address: [redacted] ID=19

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111307	1	LIVING ROOM	COUPON	S	6/3/10	1735	6/16/10	1735	67988
111308	1	MASTER COR.	〃	〃	〃	〃	〃	〃	67629
111309	1	DIFFUSER - ½	〃	〃	〃	〃	〃	〃	67941
111310	G	OUTDOORS	〃	〃	〃	〃	〃	〃	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 7131 Client: CDC

Field Person: TMM Building Address: (b)(6)

Datalogger ID #: 2385024

Calibration verification date: _____

Location: LIVING ROOM
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☑ RH ☑ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 6/3/10 START TIME 1730 INITIALS AT TMM

STOP DATE 6/16/10 STOP TIME 1730 INITIALS TMM

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: TMM Building Address: (b)(6)

Datalogger ID #: 2A15767

Calibration verification date: _____

Location: MASTER
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☐ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 6/3/10 START TIME 1730 INITIALS TMM

STOP DATE 6/16/10 STOP TIME 1730 INITIALS TMM

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: EPSC

Field Person: TMM Building Address: (b)(6)

Datalogger ID #: 2412444

Calibration verification date: _____

Location: DIFFUSER
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 10/13/10 START TIME 1730 INITIALS TMM

STOP DATE 10/16/10 STOP TIME 1730 INITIALS TMM

DOWNLOAD INFO: Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable): Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

HOBO DATALOGGING FIELD SHEET

Sheet ___ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CPSC

Date: 10/4/10

Job Site: [redacted] (b)(6)

Project # : 17131

Field Person(s): TMM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412460		Living Rm.		T, RH	1815	10/4	1730	10/19/10
EHOBO	2415792		Master		1	1	1	1	1
EHOBO	2417160		Supply		1	1	1	1	1
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAM E FIELD DATA

Page __ of __

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 10/4/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118539	1	Living Rm.	Formaldehyde	S	10/4	1815	10/19/10	1800	
118540	"	Living Rm. Replicate	Formaldehyde	D	"	"	"	"	
118541	"	Master	Formaldehyde	S	"	"	"	"	
118542	"	Outdoors	Formaldehyde	"	"	"	"	"	
118543		Field Blank	Formaldehyde	B	"	←	←	←	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM E FIELD DATA

Page ___ : ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 10/4/10

Home Address [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118533	1	Living Rm.	H_2S	S	10/4	1815	10/19/10	1800	
118534	〃	Living Rm. Replicate	H_2S	D	〃	〃	〃	〃	
118535	〃	Master	H_2S	S	〃	〃	〃	〃	
118536	〃	Outdoors	H_2S	〃	〃	〃	〃	〃	
118537	T	Field Blank	H_2S	B	〃	—	—	—	
118538	〃	Field Blank	H_2S	〃	〃	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 10/4/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118528	1	Living Rm.	Coupons	S	10/4	1815	10/19/10	1800	68818
118529	〃	Living Rm. Replicate	Coupons	D	〃	〃	〃	〃	68741
118530	〃	Master	Coupons	S	〃	〃	〃	〃	67648
118531	G	Outdoors	Coupons	〃	〃	〃	〃	〃	68742
118532	〃	Supply	Coupons	〃	〃	〃	〃	〃	68774

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOGGING FIELD SHEET

Sheet ___ of ___

ENVIRONMENTAL HEALTH & ENGINEERING
Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: _____

Date: 10/19/10

Job Site: [redacted]

Project # : _____

Field Person(s): TMM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412460		Living Rm.		T/RH	1800	10/19/10	1745	11/1/10
EHOBO	2415792		Master		1	1	1	1	
EHOBO	2417160		Supply		1	1	1	1	
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAMPLE FIELD DATA

Page _ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: EDSC

Date: 10/19/10

Home Address: [redacted]

Project#: 17631

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118619		Living Rm.	Formaldehyde	S	10/19/10	1815	11/1/10	1745	
118620		Living Rm. Replicate	Formaldehyde	D	〃	〃	〃	〃	
118621		Master	Formaldehyde	S	〃	〃	〃	〃	
118622		Outdoors	Formaldehyde	S	〃	〃	〃	〃	
118623		Field Blank	Formaldehyde		—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 10/19/10

Home Address: [redacted] (b)(6)

Project#: _____

Field Person(s): RMH

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118613		Living Rm.	H_2S	S	10/19/10	1815	11/1/10	1745	
118614		Living Rm. Replicate	H_2S	D	〃	〃	〃	〃	
118615		Master	H_2S	S	〃	〃	〃	〃	
118616		Outdoors	H_2S	〃	〃	〃	〃	〃	
118617		Field Blank	H_2S	—	—	—	—	—	
118618		Field Blank	H_2S	—	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Page __ of ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 10/19/10

Home Address: [redacted]

Project#: 17151

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 12D 23H 30M
118608		Living Rm.	Coupons	S	10/19/10	1815	11/1/10	1745	68792
118609		Living Rm. Replicate	Coupons	D	"	"	"	"	68798
118610		Master	Coupons	S	"	"	"	"	67658
118611		Outdoors	Coupons	"	"	"	"	"	68747
118612		Supply	Coupons	"	"	"	"	"	68732

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOGGING FIELD SHEET

Sheet ___ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CPSC

Date: _____

Job Site: [redacted]

Project # : 17131

Field Person(s): TMM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412460		Living Rm.		T, RH	1800	11/1/10	1735	11/15/10
EHOBO	2415792		Master		1	1	1	1	1
EHOBO	2417160		Supply		1	1	1	1	1
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAM. .E FIELD DATA

Page __ of ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CDSC

Date: 11/1/10

Home Address: [redacted]

Project#: 1713.1

Field Person(s): TMH

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118715		Living Rm.	Formaldehyde	S	11/1/10	1815	11/15/10	1735	
118716		Living Rm. Replicate	Formaldehyde	D	"	"	"	"	
118717		Master	Formaldehyde	S	"	"	"	"	
118718		Outdoors	Formaldehyde	"	"	"	"	"	
118719		Field Blank	Formaldehyde	B	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM. .E FIELD DATA

Page __ f ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 11/1/10

Home Address: [redacted]

Project#: 17137

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 13D 23H 20M
118709		Living Rm.	H_2S	S	11/1/10	1815	11/15/10	1735	
118710		Living Rm. Replicate	H_2S	D	"	"	"	"	
118711		Master	H_2S	S	"	"	"	"	
118712		Outdoors	H_2S	"	"	"	"	"	
118713		Field Blank	H_2S	FB	—	—	—	—	
118714		Field Blank	H_2S	"	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CASC

Date: 11/1/10

Home Address: [redacted]

Project#: 17631

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118704		Living Rm.	Coupons	S	11/1/10	1815	11/15/10	1735	68800
118705		Living Rm. Replicate	Coupons	D	"	"	"	"	68801
118706		Master	Coupons	S	"	"	"	"	68839
118707		Outdoors	Coupons	"	"	"	"	"	68769
118708		Supply	Coupons	"	"	"	"	"	68848

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOGGING FIELD SHEET

Sheet of ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CPSC

Date: _____

Job Site: [redacted]

Project # : _____

Field Person(s): TMM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412460		Living Rm.		T, RH	1750	11/15/10	1740	11/29/10
EHOBO	2415792		Master		1	1	1	1	1
EHOBO	2417160		Supply		1	1	1	1	1
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAM .E FIELD DATA

Page __ f ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 11/15/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
116779		Living Rm.	Formaldehyde	S	11/15/10	1805	11/29/10	1740	
116780		Living Rm. Replicate	Formaldehyde	D	"	"	"	"	
116781		Master	Formaldehyde	S	"	"	"	"	
116782		Outdoors	Formaldehyde	"	"	"	"	"	
116783		Field Blank	Formaldehyde	B	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

Page __ f ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 11/15/10

Home Address: [redacted]

Project#: 7031

Field Person(s): TMH

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
116773		Living Rm.	H_2S	S	11/15/10	1805	11/29/10	1740	
116774		Living Rm. Replicate	H_2S	D	"	"	"	"	
116775		Master	H_2S	S	"	"	"	"	
116776		Outdoors	H_2S	"	"	"	"	"	
116777		Field Blank	H_2S	B	—	—	—	—	
116778		Field Blank	H_2S	"	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM LE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 11/10/10

Home Address: [redacted]

Project#: 17131

Field Person(s): JMH

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 13D 23+ 85+
116768		Living Rm.	Coupons	S	11/15/10	1805	11/29/10	1740	67661
116769		Living Rm. Replicate	Coupons	D	"	"	"	"	68767
116770		Master	Coupons	S	"	"	"	"	67665
116771		Outdoors	Coupons	"	"	"	"	"	67660
116772		Supply	Coupons	"	"	"	"	"	68745

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOG[illegible]IG FIELD SHEET

Sheet 1 of 1

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CRSC

Date: 11/29/10

Job Site: [redacted]

Project # : 17131

Field Person(s): TMH

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time (130)	End Date
EHOBO	2412460		Living Rm.		T, RH	1745	11/29/10	12/13/10	1730
EHOBO	2415792		Master		"	"	"	"	"
EHOBO	2417160		Supply		"	"	"	"	"
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAM[illegible]E FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 11/29/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
120299		Living Rm.	Formaldehyde	S	11/29/10	1800	12/5/10	1730	
120300		Living Rm. Replicate	Formaldehyde	D	"	"	"	"	
120301		Master	Formaldehyde	S	"	"	"	"	
120302		Outdoors	Formaldehyde	"	"	"	"	"	
120303		Field Blank	Formaldehyde	B	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

Page __ 1 __

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 11/29/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
120293		Living Rm.	H_2S	S	11/29/10	1800	12/13/10	1730	
120294		Living Rm. Replicate	H_2S	D					
120295		Master	H_2S	S					
120296		Outdoors	H_2S						
120297		Field Blank	H_2S	B					
120298		Field Blank	H_2S	1					

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM_LE FIELD DATA

Page _ _

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: _____

Date: 11/29/10

Home Address: [redacted]

Project#: 17131

Field Person(s): _____

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 13D 23M 30M
120288		Living Rm.	Coupons	S	11/29/10	1800	12/15/10	1730	67763
120289		Living Rm. Replicate	Coupons	D	"	"	"	"	68730
120290		Master	Coupons	S	"	"	"	"	67657
120291		Outdoors	Coupons	"	"	"	"	"	68748
120292		Supply	Coupons	"	"	"	"	"	68726

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank