ENVIRONMENTAL
HEALTH & ENGINEERING

ID = 21

Environmental Health & Engineering, Inc.

117 Fourth Avenue
Needham, MA
02494-2725

TEL 800-825-5343
781-247-4300
FAX 781-247-4305

www.eheinc.com

Home Inspection/Questionnair Form

House ID 081309FL02

Date 5/5/10

Field Technician(s) BTB TVan

House Address _____

General Weather Description Clear, Sunny, 80's Temps

1. Questionnaire

1) Interviewed home owner (YES) NO

2) Age of the House (years)

Constructed May of 2006

3) Estimated Floor Area (sqft)

1,750 Ft²

4) Was as there any demo's to the house?

YES (NO)

If YES, when was it done? Please Explain.

_____

5) Has there been any fire in the building?

YES (NO)

If YES, when did it happen? Please Explain.

_____

6) Any pesticides/herbicides been applied around the building or in the yard?

YES NO

If YES, when was it applied? Please list the type of chemicals used.

_____

7) Has there been any recent painting/staining done in the home?

YES (NO)

If YES, when, where and what type of paint/stain was used?

---

8) Has any work been done on the AC system since construction?

YES (NO) original system up no work done. currently the drain pan leaks and has caused significant water damage to living room ceiling.

If YES, please describe?

---

9) Are all the AC system components original?

(YES) NO

If NO, please describe?

---

10) What is the age of your refrigerator?

3 months ~~years~~ original fridge failed and Homeowner got a loaner from friend. ~~Is~~ current fridge is not new

11) Has any piping been replaced in the home?

YES (NO)

If YES, please describe?

---

2. Building Characteristics

1) Residential Type (Single/Multi-Family Building) If multi-family, how many units?

Single family w/ Townhouse type neighborhood

2) Number of rooms

3 bed rm upstairs, open LR, Kitch & sitting rm downstairs

3) Above grade Construction — aluminum studs

Wood Frame (circled) Concrete Stone Brick Other _____

4) Basement

Full Crawlspace Slab (circled) Other _____

5) Foundation

Concrete (circled) Cinder Block Stone Other _____

6) Garage

YES (circled) NO

If YES, Attached (circled) Detached

If YES, Used for Car Parking? YES NO (circled)

If YES, Any gas-powered equipment or cans of gasoline/fuels stored?

YES (circled) NO — Motorcycle

7) Type of HVAC System

Split AC w/ outdoor condenser. System located in upstairs closet *

Make Goodman (b)(3):Exemption 3 for fairness HVAC Model Heater (b)(3):Exemption 3 for fairness Condenser Model _____

8) Types of Fuel (circle all that apply)

Natural Gas Fuel Oil Kerosene Electric (circled)

Propane Solar Wood Coal

9) Water Supply

Public (circled) Well Other _____

10) Sewage

Public (circled) Septic Leach Field Other _____

11) Attic

Finished Unfinished (circled)

* AC Draws are from louvered door at closet. all Bedrooms upstairs have Transfer grilles above doors.

3. Interior Characteristics

1) Any odors upon entering the building?

YES NO

If YES, is the odor drywall related (H2S, rotten egg, burned match, sulfur-like)?

YES NO

If YES, describe odor is burned match odor. noticable upon entry to house.

If NO, is the odor coming from other sources (perfume, air freshener, etc.)?

If NO, describe _____

2) Fireplace

YES NO

3) Floors (circle all that apply)

Hardwood Carpet Ceramic Tile Vinyl Tile

Unfinished Wood Unfinished Concrete Other _____

4) Walls (circle all that apply)

Wall Paper Paint Skim Coat Textured Painted

Wood or Wood Paneling Other _____

5) Ceiling (circle all that apply)

Wall Paper Paint Skim Coat Textured Painted.

Wood or Wood Paneling Other _____

House Address (b)(6)

Page _____



House Address (b)(6)

2ND FLOOR



BULK SAMPLE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/5/10

Home Address: (b)(6)

Project#: 1715 1

Field Person(s): TQT/ BJB

SAMPLE ID	FLOOR	LOCATION	WALL COOR.	LOCATION ID (SAME AS XRF LOG)	NOTES
110263	1	Living Room		A	Outlet
110264	1	Living Room		A	"
110265	1	Living Room		B	"
110266	1	Living Room		B	"
110267	1	Living Room		C	"
110268	1	Living Room		C	"
110269	1	Living Room		D	"
110270	1	Living Room		D	"
110271	2	Master Bed		E	"
110272	2	Master Bed		E	"
110273	2	Master Bed		F	"
110274	2	Master Bed		F	"
110275	2	Master Bed		G	"
110276	2	Master Bed		G	"
110277	2	Master Bed		H	"
110278	2	Master Bed		H	"
110279	2	Guest #1		I	Outlet
110280	2	"		I	"
110281	2	"		J	"
110282	2	"		J	"
110283	2	"		K	"
110284	2	"		K	"
110285	2	Guest #1		L	Switch
110286	2	"		L	"

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

VISUAL CORROSION I SPECTION FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: _____

Date: 5/5/10

Home Address: [redacted]

Project#: _____

Field Person(s): BSB, Ivan.

LOCATION ID	FLOOR	LOCATION	WALL COOR.	SAMPLE LOCATION	CORROSION RATING	PHOTO ID #	NOTES
	2	HVAC HEATING COIL			3	0151-0187	
	2	HVAC ELEC/MECH			3	1	
		CIRCUIT BREAKER				—	
		REFRIGERATOR					New Fridge / Loan from Friend
		HOT WATER HEATER				—	
A	1	Living Room			3	0130-0131	OUTLET
B	1	Living Room			3	0132-0135	1
C	1	Living Room			3	0136-0137	
D	1	Living Room			3	0138-0139	
E	2	Master Bed			3	0140-0141	
F	2	Master Bed			3	0142-0143	
G	2	Master Bed			3	0144-0146	
H	2	Master Bed			3	0147-0150	—
I	2	Guest #1			3	—	Outlet
J	2	1			3	—	1
K	2				3	—	—
L	2	—			3	—	Switch

CORROSION RATING: 0 = No Grounding Wire, 1 = No Corrosion, 2 = Some Corrosion, 3 = Heavy Corrosion

VOC SAMPL FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/5/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TQT/ BSB

SAMPLE ID	CANISTER ID	FLOW CONTROL ID	GAUGE ID	FLOOR	LOCATION	SAMPLE TYPE	GAUGE PRESSURE START	START TIME	GUAGE PRESSURE END	END TIME	NOTES
110256	AC01617	FC00519		1	Living Room	S	30	9:53	11	11:55	
110257	AC01315	FC00215		1	1	D	30	9:53	10	11:55	
110258	AC00524	FC00652		2	Master Bedroom	S	30	9:54	10	11:58	
110259	AC00624	FC00776			Outdoors	S	30	9:52	11	11:58	
110288	—	—		—	MB	B	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: TQT/BJB Building Address: (b)(6)

Datalogger ID #: EIAQT13 ; EIAQT030

Calibration verification date: 5/5/10

Location: EIAQT13 = Living Room EIAQT030 = Master Bed
(Floor, suite, person, etc.)

Parameters: CO2 ☒ CO ☐ Temp ☐ RH ☐ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE _____ START TIME _____ INITIALS _____

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: End Time:

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data):

EIAQT13	0/5	1000/997	Living RM	0922	~~Start~~ 421 pm
EIAQT030			Master Bedroom		418 pm

E mental Health & Engineering, Inc.
11 ourth Avenue
Needham, MA 02494

Tel: (781) 247-4300
Fax: (781) 247-4305

TSI Q-Trak Pre-Field Usage Calibration Check

Project #: 1781

Client: CPSC

Calibration technician: TQT

Calibration check date: 5/5/10

Number of Qtraks for this project: 2

Qtrak Source: EHE or OUTSIDE RENTAL (circle one)	Unit ID#	Serial Number:
If rental, rental company name:		

		Standard (ppm, degree F, %)	Instrument Reading, Pre-Calibration	Reset cal. points? (Y or N)	Reading after cal (if required)	Allowed difference
CO (ppm)	zero	0.0				± 2 ppm
	span	NA				± 3 ppm
CO_2 (ppm)	zero	0.0	29	Y	8	± 25 ppm
	span	1000			1015	± 50 ppm
Temp (°F)						± 1°F
% RH						± 3 %

Pre-functional checklist:	Y or N
AC adapter/ext. cord present and operational	
Time/Date Correct	
Logging interval/Averaging time correct	
Instrument complete including monitoring placard, stand, instruction placard	

CO/CO2 cal. uses certified Airgas gas standard
Temp. cal. uses NIST calibrated thermometer (Vaisala, Inc.)
RH cal. uses NIST calibrated humidity meter (Vaisala, Inc.)

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: _____ Client: CPSC

Field Person: BTB/Ivan Building Address: (b)(6)

Datalogger ID #: 24157835

Calibration verification date: _____

Location: _____
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☑ RH ☐ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/6/10 START TIME 0902 INITIALS BTB

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:**

Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: _____ Client: CPSC

Field Person: BTB/Twan Building Address: (b)(6)

Datalogger ID #: Hobo 2415789

Calibration verification date: _____

Location: Living Room
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/5/10 START TIME 0859 INITIALS BTB

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable):

Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: _____ Client: CPSC

Field Person: BTB / Ryan Building Address: (b)(6)

Datalogger ID #: 2412459

Calibration verification date: _____

Location: AC Supply Air
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/6/10 START TIME 0901 INITIALS BTB

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable):

Start Date: _____ Location: _____

End Date: _____ Start Time: _____

Measurement Time: _____ End Time: _____

CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

(b)(6)

106-0126 Living rm Sample location

0127 " " Ceiling Damage

0128 " " Ceiling Damage, Diffuser.

0129 " " Sample location.

0130 outlet A, Living Rm

0131 outlet A " "

0132 outlet B

33

34

35

36 outlet C

37

38 outlet D

39

40 outlet E

41

42 outlet F

43 " "

44 outlet G

45

46

47 outlet H

48

49

50

51 Account

167

PASSIVE SAM. .E FIELD DATA

1053

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Aldehyde (2 Week)

Date: 5/5/10

Home Address: [redacted] (b)(6)

Project#: 17131

Field Person(s): TQT/BJB

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110294		Outdoors	Aldehyde	S	5/5/10	16:00	5/20/10	13:26	14 DAYS 21 HRS 30 MIN
110301		Living Room	"	S	"	16:10	"	13:32	"
110302		Living Room		D	"	"	"	13:32	"
110303		Master Bed		S	"	"	"	13:28	"
110304		Field Blank	Aldehyde	B	5/5/10	16:12	5/5/10	16:12	0 DAYS

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM. .E FIELD DATA

1051

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC ID=21 H2S (2Week)

Date: 5/5/10

Home Address: [redacted]

Project#: (713)

Field Person(s): TQT / BSB

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110293		Outdoors	H2S	S	5/5/10	16:00	5/20/10	13:26	14 DAYS 21 HRS 30 MIN
110295		Living Room	"	S	5/5/10	"	"	13:30	"
110296		2	"	D	5/5/10	"	"	13:30	"
110298		Master Bedroom	"	S	5/5/10	"	"	13:28	"
110299		Field Blank	"	B	"	16:00	5/5/10	16:00	0
110300		Field Blank	"	B	"	16:00	5/5/10	16:00	0

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

1054

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Coupons

Date: 5/5/10

Home Address: [redacted] (b)(6)

Project#: 17131

Field Person(s): TQT/ BJB

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110287	1	Living Room	Coupons	S	5/5/10	14:10	5/20/10	13:45	Coupon # 67436 Tracking # 02682 ~~USED~~ 14D 23HR 35MIN
110289	1	Living Room		D					Coupon # 67438 Tracking # 02682
110290	1	Supply Diffuser		S					Coupon # 67970 Tracking # 02697
110291	2	Master Bed		S					Tracking # 02697 Coupon # 67975
110292		Outdoors		S					Coupon # 67676 Tracking # 02657

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: _____ Client: CPSC

Field Person: BTB/Ivan Building Address: (b)(6)

Datalogger ID #: 24157835

Calibration verification date: _____

Location: MAS Bedroom
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☑ RH ☑ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/15/10 START TIME 0902 INITIALS BTB

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable):

Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data):

UNABLE TO DOWN LOAD "CORRUPT HEADER"
Relaunched, checked to see if OK, able
to download new data
OLD DATA LOST

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: _____ Client: CPSC

Field Person: BTB/TWAC Building Address: (b)(6)

Datalogger ID #: Hobo 2415789 _____

Calibration verification date: _____ _____

Location: Living Room
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/5/10 START TIME 0859 INITIALS BTB

STOP DATE 5/20/10 STOP TIME 14:00 INITIALS WEC

DOWNLOAD INFO:

Downloaded by: ~~WEC~~ unable to download
Download date: ~~5/20/10~~

Outdoor CO_2 Sample (if applicable)**:**

Start Date: _____ Location: _____

End Date: _____ Start Time: _____

Measurement Time: _____ End Time: _____

CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

UNABLE TO DOWNLOAD - HEADER CORRUPT

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: _____ Client: CPSC

Field Person: BTB / Mvan Building Address: (b)(6)

Datalogger ID #: 2412459 _____

Calibration verification date: _____ _____

Location: AC Supply Air
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE	5/5/10	START TIME	0901	INITIALS	BTB

STOP DATE	_____	STOP TIME	_____	INITIALS	_____

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable):

Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data):

UNABLE TO DOWNLOAD - ~~DEFECTIVE~~

PASSIVE SAM .E FIELD DATA

Page __ f ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/20/10

Home Address: [redacted] (b)(6)

Project#: 17131

Field Person(s): WEC

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110997	1	LR	ALDEHYDE	S	5/20/10	14:20	6/3/10	8:10	SOM
110998	1	LR		D		14:20			
110999	2	MBR		S				DNS	H_2S ALDEHYDE FILTER BLANK
111000	—	OUTDOORS		S					
111001	—	BLANK		FB		14:20	5/23/10	14:20	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM. .E FIELD DATA

Page __ f ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/20/10

Home Address: [redacted]

Project#: 17131

Field Person(s): WEC

2 1/8

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110991	1	LR	H2S	S	5/20/10	14:15	6/3/10	8:10	13D 17H 55M
110992	1	LR DUP	↓	D	↓	14:15	↓	↓	
110993	2	MBR		S			↓	↓	
110994	—	OUTDOORS		S			↓	↓	
110995	—	BLANK		FB		14:00	5/20/10	14:00	
110996	—	BLANK	↓	FB	↓	14:00	5/20/10	14:00	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

PASSIVE SAM. .E FIELD DATA

1052

Client: CPSC

Home Address: [redacted] (b)(6)

Field Person(s): TQT / BSB

4 Week (H2S)

Date: 5/5/10

Project#: 17131

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
110297	1	Living Room	H2S	S	5/5/10	~~4:55~~ 16:00	6/3/10	8:10	28D 16H 10M

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM _E FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 5/20/10

Home Address: [redacted]

Project#: 17131

Field Person(s): WEC

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111002	1	LR	COUPON	S	5/20/10	14:30	6/3/10	810	#67430 / 02682
111003	2	MBR	↓	↓	↓	↓	↓	↓	#67421 / 02682
111004	—	OUTDOORS	↓	↓	↓	↓	↓	↓	#67443 TRACKING 02682
111005	1	DIFFUSER	↓	↓	↓	↓	↓	↓	#67024 / 02682

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: WEC Building Address: (b)(6)

Datalogger ID #: HOBO 21157785

Calibration verification date:

Location: MAS. BR 2nd FLOOR
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify):

START DATE 5/20/10 START TIME 15:05 INITIALS WEC

STOP DATE STOP TIME INITIALS

DOWNLOAD INFO: Downloaded by:
Download date:

Outdoor CO_2 Sample (if applicable)**:** Location:

Start Date: Start Time:

End Date: End Time:

Measurement Time: CO_2 Concentration:

COMMENTS (Items that may affect recorded data):

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: WEL Building Address: (b)(6)

Datalogger ID #: HOBO 2412459

Calibration verification date: _____

Location: 1ST FLOOR LR DIFFUSER
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/20/10 START TIME 15:00 INITIALS _____

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO: Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: End Time:

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: WEC Building Address: (b)(6)

Datalogger ID #: HOBO 2415789 (b)(6)

Calibration verification date:

Location: LIVING ROOM
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 5/20/10 START TIME ~~PM~~ 14:58 INITIALS WEC

STOP DATE _____ STOP TIME _____ INITIALS _____

DOWNLOAD INFO: Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable)**:** Location: _____

Start Date: _____ Start Time: _____

End Date: End Time:

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

PASSIVE SAMPLE FIELD DATA

Page ____ / ____

1112

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Home Address: [redacted] 10-21

Field Person(s): TMM

Date: 6/3/10

Project#: 6/3/10

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111383	1	LIVING ROOM	ALDEHYDE	S	6/3/10	835	6/17/10	800	
111384	1	1	1	D	1	1	1	1	
111385	2	MASTER	1	S	1	1	1	1	
111386	G	OUTDOOR	1	S	1	1	1	1	
111387	-	-	-	FB	-	-	-	-	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM..LE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Home Address: [redacted] ID=21

Field Person(s): TMH

Date: 6/3/10

Project#: 17131

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111377	1	LIVING ROOM	H_2S	S	6/3/10	8:30	6/17/10	8:00	
111378	1	1		D	1	1	1	1	
111379	2	MASTER		S	1	1	1	1	
111380	G	OUTDOOR		S	1	1	1	1	
111381				FB	—	—	—	—	
111382				FB	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

1110

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CFSC

4 week H_2S

Date: 6/3/10

Home Address: [redacted] 17-21

Project#: 1703 1

Field Person(s): TMH

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111376	1	LIVING ROOM	H_2S	S	6/3/10	8:30	6/17/10	8:00	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

1113

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CSC

Date: 6/3/10

Home Address: [redacted] ID=21

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
111388	1	LIVING ROOM	CO2	S	6/3/10	845	6/7/10	800	67996
111389	2	MASTER	〃	〃	〃	〃	〃	〃	67982
111390	G	OUTDOOR	〃	〃	〃	〃	〃	〃	67974
111391	1	DIFFUSER	〃	〃	〃	〃	〃	〃	67985

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: CPSC

Field Person: TMM Building Address: (b)(6)

Datalogger ID #: 24-(5785

Calibration verification date: _____

Location: MBR 2ND FLOOR
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 6/3/10 START TIME 830 INITIALS TMM

STOP DATE 6/11/10 STOP TIME 800 INITIALS TMM

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable):

Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: QSC

Field Person: TMM Building Address: (b)(6)

Datalogger ID #: 2412459

Calibration verification date:

Location: LR DIFFUSER
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☒ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify):

START DATE	6/3/10	START TIME	830	INITIALS	TMM
STOP DATE	6/7/10	STOP TIME	800	INITIALS	TMM

DOWNLOAD INFO:

Downloaded by:
Download date:

Outdoor CO_2 Sample (if applicable): Location:

Start Date: Start Time:

End Date: End Time:

Measurement Time: CO_2 Concentration:

COMMENTS (Items that may affect recorded data):

HOBO DATALOGGING FIELD SHEET

Sheet _ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CRSC

Date: 10/4/10

Job Site: [redacted]

Project # : 17131

Field Person(s): TMH

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412462	1	Living Rm.		T, RH	450	10/4		
EHOBO	2415760	2	Master		1	1			
EHOBO	2415754	1	Supply		1	1			
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

DATALOGGING CUSTODY FORM

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300 FAX: (781) 247-4305

Project #: 17131 Client: ERSC

Field Person: TMM Building Address: (b)(6)

Datalogger ID #: 2415789

Calibration verification date: _____

Location: LIVING ROOM
(Floor, suite, person, etc.)

Parameters: CO2 ☐ CO ☐ Temp ☑ RH ☒ VOCs ☐ O2 ☐ H2S ☐
$PM_{2.5}$ ☐ PM_{10} ☐ Aldehydes ☐ Other (Specify): _____

START DATE 6/3/10 START TIME 830 INITIALS TMM

STOP DATE 6/17/10 STOP TIME 800 INITIALS TMM

DOWNLOAD INFO:

Downloaded by: _____
Download date: _____

Outdoor CO_2 Sample (if applicable): Location: _____

Start Date: _____ Start Time: _____

End Date: _____ End Time: _____

Measurement Time: _____ CO_2 Concentration: _____

COMMENTS (Items that may affect recorded data): _____

PASSIVE SAM _E FIELD DATA

Page __ of ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 10/4/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118523	1	Living Rm.	Formaldehyde	S	10/4/10	16 50			
118524	1	Living Rm. Replicate	Formaldehyde	D	"	"			
118525	2	Master	Formaldehyde	S	"	"			
118526	G	Outdoors	Formaldehyde	"	"	"			
118527	—	Field Blank	Formaldehyde	B	—				

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM E FIELD DATA

Page __ of __

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 10/4/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118517	1	Living Rm.	H_2S	S	10/4/10	1650	10/19/10	1605	14D 23H 15M
118518	1	Living Rm. Replicate	H_2S	D	"	"	"		
118519	2	Master	H_2S	S	"	"	"		
118520	G	Outdoors	H_2S	"	"	"	"		
118521	+	Field Blank	H_2S	FB	—	—	—		
118522	—	Field Blank	H_2S	"	—	—	—		

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM _LE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 10/4/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES PID 23.1 PM
118512		Living Rm.	Coupons	S	10/4	1850	10/19/10	1605	68785
118513		Living Rm. Replicate	Coupons	D	"				68758
118514		Master	Coupons	S					68817
118515		Outdoors	Coupons	"					68784
118516		Supply	Coupons	"					

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOGGING FIELD SHEET

Sheet ___ of ___

ENVIRONMENTAL HEALTH & ENGINEERING
Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CDC

Date: 10/19/10

Job Site: [redacted]

Project # : 17131

Field Person(s): TRM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412462	1	Living Rm.		T, RH	16:12	10/19/10	16:05	11/1/10
EHOBO	2415760	2	Master		1	1	1	1	
EHOBO	2415754	1	Supply		1	1	1	1	
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAMPLE FIELD DATA

Page __ of ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: QSC

Date: 10/19/10

Home Address: [redacted]

Project#: 17051

Field Person(s): THM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 12D23H 40M
118603		Living Rm.	Formaldehyde		10/19/10	1620	11/1/10	1600	
118604		Living Rm. Replicate	Formaldehyde		"	"	"	"	
118605		Master	Formaldehyde		"	"	"	"	
118606		Outdoors	Formaldehyde		"	"	"	"	
118607		Field Blank	Formaldehyde		~	~	~	~	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Page ___ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: QSC

Date: 10/19/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118597		Living Rm.	H_2S	S	10/19/10	1620	11/1/10	1600	
118598		Living Rm. Replicate	H_2S	D	"	"	"	"	
118599		Master	H_2S	S	"	"	"	"	
118600		Outdoors	H_2S	"	"	"	"	"	
118601		Field Blank	H_2S		~	~	~	~	
118602		Field Blank	H_2S		~	~	~	~	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CSC

Date: _____

Home Address: [redacted]

Project#: _____

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118592		Living Rm.	Coupons	S	10/19/10	16:20	11/1/10	16:00	68825
118593		Living Rm. Replicate	Coupons	D	"	"	"	"	68806
118594		Master	Coupons	S	"	"	"	"	68809
118595		Outdoors	Coupons	"	"	"	"	"	68816
118596		Supply	Coupons	"	"	"	"	"	68790

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOGGING FIELD SHEET

Sheet ___ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CPSC

Date: 11/1/10

Job Site: [redacted]

Project # : 17131

Field Person(s): TMM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412462	1	Living Rm.		T, RH	1610	11/1/10	1545	11/15/10
EHOBO	2415760	2	Master		1	1	1	1	1
EHOBO	2415754	1	Supply		1	1	1	1	1
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAM. .E FIELD DATA

Page __ f ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 11/1/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118699		Living Rm.	Formaldehyde	S	11/1/10	16:30	11/15/10	15:45	
118700		Living Rm. Replicate	Formaldehyde	D	"		"	"	
118701		Master	Formaldehyde	S	"	"	"	"	
118702		Outdoors	Formaldehyde	S	"	"	"	"	
118703		Field Blank	Formaldehyde	B	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM. .E FIELD DATA

Page ___ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 11/1/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMH

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
118693		Living Rm.	H_2S	S	11/1/10	16:30	11/15/10	15:45	
118694		Living Rm. Replicate	H_2S	D	"	"	"	"	
118695		Master	H_2S	S	"	"	"	"	
118696		Outdoors	H_2S	S	"	"	"	"	
118697		Field Blank	H_2S	FB	—	—	—	—	
118698		Field Blank	H_2S	S	"	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 11/1/10

Home Address: [redacted]

Project#: 17181

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 13D 23H 15M
118688		Living Rm.	Coupons	S	11/1/10	1630	11/15/10	1545	68822
118689		Living Rm. Replicate	Coupons	D	"	"	"	"	68803
118690		Master	Coupons	S	"	"	"	"	68815
118691		Outdoors	Coupons	"	"	"	"	"	68833
118692		Supply	Coupons	"	"	"	"	"	68796

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOGGING FIELD SHEET

Sheet ___ of ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CPSC

Date: 11/15/10

Job Site: [redacted]

Project # : 17131

Field Person(s): TMM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412462		Living Rm.		T, RH	1555	11/15/10	1630	11/29/10
EHOBO	2415760		Master		〃	〃	〃	〃	〃
EHOBO	2415754		Supply		〃	〃	〃	〃	〃
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAM .E FIELD DATA

Page __ f ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 11/15/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 14D 10M
116763		Living Rm.	Formaldehyde	S	11/15/10	1620	11/29/10	1620	
116764		Living Rm. Replicate	Formaldehyde	D	〃	〃	〃	〃	
116765		Master	Formaldehyde	S	〃	〃	〃	〃	
116766		Outdoors	Formaldehyde	〃	〃	〃	〃	〃	
116767		Field Blank	Formaldehyde	B	—			—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

Page _ f ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CTSC

Date: 11/15/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 14D 10M
116757		Living Rm.	H_2S	S	11/15/10	1620	11/29/10	1630	
116758		Living Rm. Replicate	H_2S	D					
116759		Master	H_2S	S					
116760		Outdoors	H_2S	1					
116761		Field Blank	H_2S	B	—	—	—	—	
116762		Field Blank	H_2S	1	—	—			

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Page _ of ____

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 11/15/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TRM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
116752		Living Rm.	Coupons	S	11/15/10	1620	11/29/10	1630	63249
116753		Living Rm. Replicate	Coupons	D	"	"	"	"	63354
116754		Master	Coupons	S	"	"	"	"	63242
116755		Outdoors	Coupons	"	"	"	"	"	63420
116756		Supply	Coupons	"	"	"	"	"	63418

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

HOBO DATALOG[illegible]IG FIELD SHEET

Sheet ___

Environmental Health & Engineering, Inc.
117 Fourth Avenue
Needham, MA 02494
TEL: 718-247-4300 FAX: 781-247-4305

Client: CFSC

Date: 11/29/10

Job Site: [redacted]

Project # : 17131

Field Person(s): TMM

HOBO I.D.	Serial Number	Floor	Room	Equip	Monitoring	Start Time	Start Date	End Time	End Date
EHOBO	2412462		Living Rm.		T, RH	11/29/10	1645	1530	12/13/10
EHOBO	2415760		Master		"	"	"	"	
EHOBO	2415754		Supply		"	"	"	"	
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									
EHOBO									

PASSIVE SAM. .E FIELD DATA

Page __ . __

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CPSC

Date: 11/29/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
120283		Living Rm.	Formaldehyde	S	11/29/10	1700	12/13/10	1530	
120284		Living Rm. Replicate	Formaldehyde	D	"	"	"	"	
120285		Master	Formaldehyde	S	"	"	"	"	
120286		Outdoors	Formaldehyde	"	"	"	"	"	
120287		Field Blank	Formaldehyde	B	—	—	—	—	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAM .E FIELD DATA

Page __ . __

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CFSC

Date: 11/29/10

Home Address: [redacted]

Project#: 17131

Field Person(s): TMH

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES
120277		Living Rm.	H_2S	S	11/29/10	17^{00}	12/13/10	15^{30}	
120278		Living Rm. Replicate	H_2S	D	"	"	"	"	
120279		Master	H_2S	S	"	"	"	"	
120280		Outdoors	H_2S	"	"	"	"	"	
120281		Field Blank	H_2S	B	"	"	"	"	
120282		Field Blank	H_2S	"	"	"	"	"	

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank

PASSIVE SAMPLE FIELD DATA

Environmental Health & Engineering, Inc.
117 Fourth Avenue, Needham, MA 02494
TEL: (781) 247-4300
FAX: (781) 247-4305

Client: CRSC

Date: 11/29/10

Home Address: [redacted]

Project#: 17631

Field Person(s): TMM

SAMPLE ID	FLOOR	LOCATION	TARGET ANALYTE	SAMPLE TYPE	START DATE	START TIME	END DATE	END TIME	NOTES 15D 22H 30M
120272		Living Rm.	Coupons	S	11/29/10	1700	12/13/10	1530	68768
120273		Living Rm. Replicate	Coupons	D					68752
120274		Master	Coupons	S					67650
120275		Outdoors	Coupons						67652
120276		Supply	Coupons						67765

SAMPLE TYPES: S = Sample, D = Duplicate, FB = Field Blank, MB = Media Blank