

Federal Register notice. In your response, please reference each question number (1-14).

In addition to providing the information requested in 16 C.F.R. §1115.13(d) (1-14), paragraph 15 of the "Full Report" requests any additional information needed by the staff. In accordance with paragraph 15 (see page 35,002), please also provide the following additional information:

- 15a. Copies of all test reports, analyses, and evaluations, including premarket tests and reports of tests and any analyses related to the reported problem. Include the date and place such tests and analyses were conducted by or on behalf of the firm and the identity of the persons involved in the testing and analyses.
- 15b. Copies of all engineering drawings, engineering change notices and material specifications relevant to the identified problem.
- 15c. The identity of the person(s) who identified the potential problem, the date he/she identified the problem, any persons they notified, and the date of notification.
- 15d. Concerning the information specified by 16 C.F.R. §1115.13(d)(6), please include a copy of all safety related consumer or dealer complaints, warranty claims, reports of injury, and copies of all documents related to such complaints, claims and injuries. Please include, copies of all court complaints and related documents filed in or associated with lawsuits involving the product and a description of the resolution of those lawsuits, if any.
- 15e. Provide two samples of the product, including retail packaging and instructions for assembly and use. Also provide a sample of the "fix", if such has been made, with instructions to be given to consumers. If there is a cost associated with these samples, notify us prior to sending the samples. If it is easier to send drawings and the two types of HP seat poppets, that will be sufficient.
- 15f. A copy of the firm's catalog depicting the product.

If the consumer complaints and the other documents requested in Paragraph 15d above are unavailable, please indicate the reason for such unavailability, and provide a summary of the requested items containing the name, address and telephone number of the claimant, or the name address and telephone number of the plaintiff's attorney.

Staff Assessment

After receiving the firm's response, the Commission's Compliance staff will make a preliminary determination as to whether it believes the product presents a substantial product hazard. See 16 C.F.R. § 1115.12(a). Therefore, it is of primary importance that the firm now provide all of the requested information so that the staff can make an accurate assessment of the potential safety hazard associated with the product.

Information Disclosure

The Commission often receives requests for information provided by firms under section 15(b) of the CPSA. Section 6(b)(5) of the CPSA, 15 U.S.C. § 2055(b)(5), prohibits the release of such information unless a remedial action plan has been accepted in writing, a complaint has been issued or a firm consents to such release. (See section 6(b) of the CPSA, as amended (enclosed)).

In addition to the above, if the firm submits any information that it considers to be a trade secret, or confidential commercial or financial information, it must mark it "confidential" in accordance with section 6(a)(3) of the CPSA, as amended, 15 U.S.C. § 2055(a)(3) and 16 C.F.R. § 1015.18. The Commission is prohibited from disclosing to the public information that is in fact trade secret or proprietary commercial or financial data. If the firm does not request confidential treatment at the time of its submission or within ten days thereafter, the staff will assume that it does not consider information in the submission to be a trade secret or otherwise exempt from disclosure under section 6(a) of the CPSA and the Freedom of Information Act, 5 U.S.C. § 552(b)(4).

Continuing Obligation

Please note that the firm has a continuing obligation to supplement or correct its "Full Report" as new or different information becomes known. For instance, if after filing the "Full Report" the firm receives or learns of information concerning other incidents or injuries, or information that affects the scope, prevalence or seriousness of the defect or hazard, it must report that information to this Division immediately.

The Division of Corrective Actions requests that the firm provide a response within 10 working days of your receipt of this letter. **Please reference the CPSC file number in your response.** If you seek assistance or if you have any questions, you may contact James A. DeMarco, Compliance Officer, Division of Corrective Actions, U.S. Consumer Product Safety Commission, 4330 East West Highway, Room 613, Washington, D.C. 20207-0001,

telephone: (301) 504-0608 x 1353. Thank you for your cooperation in reporting under section 15 of the Consumer Product Safety Act.

Sincerely,

Marc J. Schoem
Director
Division of Corrective Actions

Enclosures

Compilation of CPSC Statutes
Substantial Product Hazard Regulations
FOIA Regulations
Information Disclosure Sheet
Recall Handbook

cc: Consumer Product Safety Commission
Western Regional Center
600 Harrison Street
Room 245
San Francisco, CA 94107-1370

Bill Oliver, VP Sales
SeaQuest, Inc.
2151 Las Palmas Drive
Carlsbad, CA 92009

CORRECTIVE ACTIONS DIVISION
REPORT SHEET: OFFICE USE ONLY

NUMBER: RP 94-151 DATE OPENED 7-6-94 (yyymmdd) BY CLOSED

CACA CONTACT: DE MARCO RO: WEST

COMPANY NAME: Sea-Quest, Inc.

Bill Oliver
(Michael) VP

ADDRESS: 2151 Las Palmas Dr.

CITY: Carlsbad STATE: CA ZIP: 92009

Gibson, Dan

COMPANY CONTACT: Bill Oliver TELEPHONE: _____

Outside
Caterer

TYPE: MFG DIST RETAIL PVT LBLR IMPORTER

NEWS CODE: L275 TOTAL INVOLVED 4100

Steve
Meyers
ES

PRODUCT DESCRIPTION: SCUBA (70.7) (Went David)

Regulator Spectrum

MODEL: #3-70100

CRS/Deletate if differs
from above

BRAND: SeaQuest

POC. HAZARD: _____

333 So. Grand
Ave

COMMENTS: Death a drawing

LA CA
40071

due to
2nd stage ->

END COMPUTER ENTRY

II. ADDITIONAL PRODUCT IDENTIFICATION

Leak of
air
condition
at
free flow

- A. Identification/Serial Number:
- B. Location of Serial/Model Numbers:
- C. Certification on Product (UL, etc.):
- D. Average Lifetime of Product:
- E. Unit Retail Value:

III. ADDITIONAL DEFECT AND HAZARD INFORMATION

A. Description of defect: High Pressure Seat
in 1st stage (made by US Divers) Lock tight,
used on 1st stage - LockTite Comb has effect on
poppet + hi-P. seat (rubber) + degrade - failure

VII. PRODUCT DOES NOT COMPLY WITH CPSCA RULE OR STANDARD UNDER TRANSFERRED ACTS

- A. Act Involved:
- B. Standard or Ban Involved:
- C. Description of Noncompliance:
- D. Date Discovered and How:

[Handwritten notes and signatures]
 X
 [Signature]
 [Signature]
 [Signature]
 [Signature]

VIII. CORRECTIVE ACTION

- A. Notification to:
 - Distributors
Date:
Method:
 - Retailers
Date:
Method:
 - Consumers
Date:
Method:
- B. Recall (and date begun):
- C. Repurchase, Refund, Repair (and date begun):
- D. Technical Fix:
- E. Disposition of Returned Units:

seaQuest



104

BUOYANCY COMPENSATORS

DIMENSION XP

DIMENSION

3-dimensional pleated bag

Combine the lowest profile BC on the market with a revolutionary harness design and you get the Dimension XP. The integral body harness incorporates a depth compensating cummerbund with adjustable shoulder straps, plush lining and two pockets for ultimate diving comfort. Together with the incredible low profile features of the 3-dimensional back mounted buoyancy unit, this BC sets new standards in hydrodynamic design.

There's no holding back with the Dimension XP.

- Black/Blue/Purple - 4931-4935 S-M
- Black/Lime/Blue - 4991-4995 S-M
- Black/Raspberry/Blue - 4941-4942 S-M

TRIMLINE™ airway
(AIR SOURCE™ optional)

integral shoulder strap
adjustment

octopus D-ring

gauge retainer clip

accessory D-rings



2

80

3-dimensional pleated bag

torso adjusting harness


accessory D-rings

Dimension is the ultimate in hydrodynamic design. This ultra-streamlined BC is fitted with an exclusive 3-dimensional back-mounted buoyancy unit. Upon inflation, a pleated bag on the diver's back offers unencumbered lift with minimal drag. In fact, Dimension provides 75% more buoyancy than a traditional BC of the same size. A unique torso-adjusting plush padded harness makes this BC extremely comfortable. Quick-release buckles, nylon D-rings and accessory hose retainers add function to form. Dimension is perfection reduced to its essential elements.

DIMENSION

Encounter the ultimate in hydrodynamic design. This ultra-streamlined BC is fitted with an exclusive 3-dimensional back-mounted buoyancy unit. Upon inflation, a pleated bag on the diver's back offers unencumbered lift with minimal drag. In fact, Dimension provides 75% more buoyancy than a traditional BC of the same size. A unique torso-adjusting plush padded harness makes this BC extremely comfortable. Quick-release buckles, nylon D-rings and accessory hose retainers add function to form. Dimension is perfection reduced to its essential elements.

Black/Red/Charcoal - 4921-4925 S-XL
Black/Raspberry Blue - 4971-4972 S-L



torso adjusting harness for a secure comfortable fit



3-dimensional pleated bag, providing 75% more buoyancy than traditional BCs the same size

18

BUOYANCY COMPENSATORS

PREDATOR / INFINITY 2



PREDATOR

Predator. The BC that's built as tough as it sounds. 840 Denier Jr. Ballistic Nylon with heavy duty abrasion pads make this unit built to last. The full support pack and Neutrafoam™ padding add stability and comfort. Quick-release adjustable shoulder buckles, stainless steel D-rings and floating chest fastener conform to various sizes.

If you want your BC to go the distance, go with the Predator.


Black/Red/Charcoal - 4912-4915 M-XL



integral shoulder adjustment



for proper fit, all sizes come with an adjustable MULTISET™ waistband



full support backpack

INFINITY 2

This BC defies the limits of dive technology. The Infinity 2 offers full-size buoyancy in a streamlined, low profile unit.

Floating chest fastener, full support backpack, padded integral body harness with NEUTRAFOAM™ and adjustable quick-release shoulder buckles with thumb levers round out the list of features.

Infinity 2. It's everything you want in a BC. And less.

Black/Spruce/Purple - 4870-4874 M-XL ; Black/Lime/Blue - 4810-4815 M-XL
 Black/Blue/Purple - 4821-4825 S-M ; Black/Red/Blue - 4831-4835 S-M
 Black/Raspberry/Blue - 4840-4842 M-XL



quick-release shoulder buckle

stainless steel D-rings

82

BUOYANCY COMPENSATORS

SPECTRUM 4 & 3 MODULAR FLAPS




back pad of NEUTRAFOAM™

ADV SPECTRUM 4

Spectrum 4 expands the range of traditional BC features. Experience maximum comfort from our exclusive adjustable lumbar support. Indeed, Spectrum 4 feels good in and out of the water with a smart internal tapered design for better feel at the top and enhanced buoyancy at the bottom. Dual-adjusting side-release chest fastener. And Modular Pocket Flaps.

Get it all with Sea Quest's Spectrum 4.

- Blue/Red - 4431-4435 S-XL
- Black/Raspberry/Blue - 4441-4442 S-M
- Black/Blue/Purple - 4411-4415 S-XL
- Black/Lime/Blue - 4421-4425 S-XL



padded body band with SUSPENSION STRAP SYSTEM™



integral tank cradle with adjustable lumbar support

double adjusting on shoulder straps with levers and easy-to-use webbing straps

octopus D-ring

double chest fasteners

accessory D-rings


89



INFINITY 2 gives you the buoyancy of the ADV series and the streamlined design of the EXPLORER

TRIMLINE™ airway
(AIR SOURCE™ optional)

full-size support
backpack



SEAQUEST

octopus D-ring

TRIMLINE™
SEAQUEST



double-adjusting
floating chest fastener



SEAQUEST

octopus D-ring

double-adjusting
floating chest fastener

quick-release
shoulder buckles

gaiter retainer

accessory D-rings


83

Sea Quest's Spectrum 3 is swimming with features. Like double-adjusting shoulder buckles. 420 Denier Nylon shell. Backpack. A padded body band with suspension strap system. And yes, even interchangeable pocket flaps with a wide range of color choices. The Sea Quest Spectrum 3. Designed to satisfy a diver's every need.

Black/Raspberry Blue - 4341-4342 (S, M); Blue/Red - 4331-4335 (S, M, L, XL)
 Black/Red/Charcoal - 4391-4395 (S, M, L, XL); Black/Lime/Blue - 4381-4385 (S, M, L, XL)
 Black/Blue/Purple - 4310-4316 (XS-XXL)



TRIMLINE™ airway
 (AIR SOURCE™ optional)



octopus D-ring

double adjusting floating chest fastener

fixed integral pack

accessory D-rings

Customize your BCD!
 Interchangeable pocket flap:
 available in a wide range of colors.
 So splash a little color on your BCD!

Black/Raspberry/Blue - 423; Raspberry/Blue
 Black/Blue/Purple - 420 Blue/Red/Blue
 Black/Lime/Blue - 422; Black/Red/Blue
 Black/Red/Charcoal - 431; Black/Spruce/Purple
 Lime/Blue/Purple

A full-featured BC at a very comfortable price. The Spectrum 2 is equipped with a full size padded cummerbund, quick-release shoulder buckles and floating chest fastener. Its padded body band adds security when your BC is inflated and an integral back pack holds your tank firmly in place.

Spectrum 2. A top of the line BC made to suit your bottom line.

Black Raspberry Blue - 4201-4203
 Black Blue Purple - 4211-4215
 Blue Red - 4231-4235



quick release
shoulder buckles

quick release
shoulder buckle

octopus
D-ring

gauge
retainer

2" nylon waist strap

floating
chest fastener

accessory D-rings

This proven BC brings an array of features to the surface. This economy-minded BC sports side-release shoulder buckles and chest fastener. Tough 420 Denier Nylon. Our integral back pack. And quick-release shoulder straps with thumb levers.

With a 2" nylon waist strap and five sizes available, the Spectrum 2 is sure to fit you. And your budget.

Blue Red - 4131-4135
 Black Lime/Blue - 4111-4115



**BUOYANCY
 COMPENSATORS**
 SPECTRUM 2 &
 ZERO GRAVITY



ZERO GRAVITY

The BC that replaces your weight belt. The Zero Gravity's streamlined integrated weight system eliminates the need for cumbersome weight belts. Up to 30 pounds of weight fit in contoured pockets designed for comfort and balance. A patented one-handed front-release system disengages 20 lbs. simply and quickly.


The Zero Gravity. Why weight?

- Black/Blue/Red - 4281-4285 - S-M-L
- Black/Lime/Blue - 4271-4275 - S-M-L
- Black/Raspberry/Blue - 4291-4292 - S-M-L



back pad of NEUTRAFOAM™


TRIMLINE™ airway (AIR SOURCE™ optional)



easy to locate weight release handle



releases up to 20 pounds simultaneously



allows easy release of weight in all swim positions

double-adjusting quick release shoulder buckles with thumb levers and new easy to adjust webbing straps

gauge retainer

double adjusting floating chest fastener

patented front release weight system with easy to locate weight release handle

accessory D

87



BUOYANCY COMPENSATORS

EXPLORER / EXPLORER PRO

full support backpack
 internal harness with
 NEUTRAFOAM™ padding

EXPLORER

No matter where you're going the Explorer will take you there. Specifically designed for the diver who likes to go where no one has gone before, this BC packs lots of features into a remarkably light and compact unit. You'll find adjustable shoulders, compensating MULTISET™ waistband, gauge retainer, D-ring for an alternate second stage, padded integral body harness, low-profile design and more in a very low drag configuration.

The Explorer. Take it with you. Wherever.

Black/Raspberry/Blue - 4040-4042 XS-M; Black/Lime/Blue - 4021-4025 S-XL
 Black/Blue/Red - 4031-4035 S-XL; Black/Blue/Purple - 4081-4085 S-XL



EXPLORER PRO

Advanced divers require advanced equipment. Hence the Explorer Pro. A lightweight, reduced buoyancy BC with the lowest drag fit available. The plush, neutrally buoyant padding keeps the Pro comfortable even without a wetsuit.

And the lower pack design transfers weight from your shoulders to your hips. There are console and low pressure hose retainers, a separate octopus D-ring, fixed D-rings for accessories.

The Explorer Pro. For experienced divers.

Black/Red/Blue - 4590-4595 XS-XL

10


streamline design with low profile buoyancy



octopus D-ring



integral shoulder adjustment



TRIMLINE™ airway
 (AIR SOURCE™ optional)

octopus D-ring

Integral shoulder adjustments

88

This snorkeling vest features a one inch diameter airway with oral inflator, CO₂ system and 15 pounds of buoyancy.


Lime Blue - 9416



SNORKELER

A lightweight snorkeling vest offering snorkelers additional buoyancy in a comfortable, secure fitting vest. Also available is our Snorkeler Jr.

SNORKELER Lime/Blue - 9407
SNORKELER JR Lime Blue - 9409



AIR SOURCE AIRWAYS


FRONT MOUNT BCs
AIR SOURCE AIRWAYS

AIR SOURCE


Simply the finest combination high-performance regulator second stage and BC inflator available. The Air Source™ eliminates the need for an octopus: one less hose and one less piece of gear to wear. Durable corrosion-resistant Delrin® construction is impact resistant. Fits any Sea Quest BC. And our exclusive Trim Grip™ makes one-handed ascent control possible.

Swim toward the Air Source™.

AIR SOURCE COMPLETE Lime - 141-3; Black - 141
AIR SOURCE ONLY Lime - 001-3; Black - 001



air source complete



air source

rugged housing with environmentally protected inflator mechanism

small compact low profile design

COMBO INFLATOR AIRWAY

COMBO INFLATOR AIRWAY - 2-3515
LP inflator hose sold separately - 2-4425

TRIMLINE™ AIRWAY

Trimline™ Airway 2-3520
LP inflator hose sold separately - 2-4525

rapid exhaust/over inflation valve

integrated LP hose

combination BC power inflator and quick dump system


rapid exhaust/over inflation valve

89

This is it! New for 1994. Our top of the line regulator. The ultimate in diving technology for the ultimate diver. The balanced diaphragm design provides exceptional breathing characteristics and unrivaled reliability. Utilizing a Venturi power assist, Spectrum responds instantly to increased air demands—even under extreme situations.

Spectrum. Engineered to make breathing as second nature under the water as it is out of the water.

SPECTRUM - 70100




12

REGULATORS

SPECTRUM INFINITY
MIRAGE


- 1 balanced diaphragm design
 - 2 Venturi power assist
 - 3 large internal air passages
 - 4 high volume conical inlet filter
- optional DIN adaptor and environmental kit available

SPECTRUM




- 1 balanced piston
 - 2 four low pressure ports are integrated into a rotating swivel
 - 3 large internal air passages
 - 4 high volume conical inlet filter
- optional environmental kit available

INFINITY



- 1 piston design
 - 2 optimally designed critical air paths
 - 3 high volume conical inlet filter
- optional DIN adaptor and environmental kit available

MIRAGE



90

Arm yourself with the Sea Quest Octopus for high quality, reliability and easy-breathing. Whether you choose the Sea Quest Octopus or the Air Source™ breathable inflator, you'll have a dependable back-up system well within reach.

Black - 70135; Lime - 70130

Maximize your bottom line in superior regulator technology: breathability.

Our engineers started with a dependable, balanced piston first stage. Then they added a large diameter, superflow hose via a built-in first-stage swivel and a feather-light second stage. Complete with a low friction, Teflon-tipped demand lever for low inhalation effort and an extra large exhaust diaphragm to decrease exhalation resistance.


Breathe easy...unmatched performance is here. The Infinity.

INFINITY - 70110




Picture the Infinity in a sport model and you're looking at the Mirage. Superior breathing characteristics and proven piston performance make this regulator an excellent value for the sport diving enthusiast. Enjoy reliability, easy maintenance, precision and comprehensive service. Seek out the Mirage. Proven Sea Quest quality before your very eyes!

MIRAGE - 70120



- 1 smooth contouring
- 2 friction reducing coatings to critical parts
- 3 demand lever is teflon tipped
- 4 large elliptical exhaust valve

2nd STAGE



91



EON™

The time has come for a new generation of Dive Computer. Eon is a revolutionary dive computer that accurately chronicles vital statistics of up to 25 hours of diving time. Available with or without compass, this air-integrated dive computer is the smallest and most compact of its kind. The phosphorescent LCD screen—excellent for night diving—displays valuable information from 45 functions. Eon also features an audible alarm system to warn you about low tank pressure, excessive ascent rate or depth and potential decompression situations. It even has a date and time clock. Eon comes equipped with a built-in dive simulator for use before and between dives to simulate the next dive's no decompression limits. The Eon dive time memory is divided into three different formats: logbook, profile, and history. And Eon can be interfaced with your personal computer to keep a detailed logbook of your dive profiles. It's been a long time coming, but perfection has definitely arrived. Eon—the ultimate in dive computer technology.

w/compass CB63 - EON
w/o compass CB62 - EON



available without compass



Depth Display - shows depth, max depth, and graphically


Decompression Dive Display - shows depth, max depth, ascent rate, ascent time, air pressure, and ceiling indicator

Surface Display - shows surface time, do not fly indicator (airplane), maximum depth and bottom time

Log Display - shows: max depth, bottom time, ending tank pressure, dive number and any warnings



Surface Interval Time - shows beginning tank pressure, temperature at max depth. Alternating log screen will also show date and time of dive

the EON and SOLUTION™ can be interfaced with a personal computer to keep a computerized log book and generate hard copy dive profile graphs.



DIVE COMPUTERS

EON / SOLUTION




SOLUTION

The engineers at Sea Quest and Suunto have joined together to design a dive computer that answers the needs of recreational divers. Powered by an 8-bit CMOS microprocessor, this smart dive computer utilizes a custom LCD screen to access 36 functions and 5 surface modes through pull-down menus. The Solution is equipped with a dive log, computer history, dive profile record, altitude adjustment, and built-in dive simulator.

Ascent time and ceiling information is provided for decompression. If the ascent rate is too fast there is a 3-step warning that tells you when to slow down. The Solution also includes an optional interface for your PC. The Solution is designed to be compatible with today's and tomorrow's generation of consoles. It's complemented by the most complete package of support programs and accessories in the world.

The Solution from Sea Quest.
A definitive response to today's sport diving demands.

3 Gauge-One Sided CB53 - SOL - 3 Gauge-Two Sided CB3 - SOL - 2 Gauge CB52 - SOL
Hose Mount SOL - TN1: Wrist Unit SOL - FT: Capsule SOL - FTC



93



LOG BOOK CONTENTS
 Maximum depth of the first dive in memory:
 57 ft., surface time: 18 min., dive number 1
 and elapsed dive time: 31 min.

You should always dive with a buddy. We'd like to recommend that you take the Companion along too.

The Companion provides simple and accurate planning for sport diving. Access three surface functions, including dive planning, a dive log and altitude adjustment with easy, pull-down menus. Clear displays also monitor depth, elapsed dive time, temperature and altitude setting information. A full decompression table breakdown displays 'ascend now', 'descend now', and 'stop at current depth' messages to suggest ascent rate and decompression ceiling.

The Companion. Don't dive without it.

3 Gauge-One Sided CB53 - COM; 3 Gauge-Two Sided CB3 - COM; 2 Gauge CB52 - COM; Hose Mount COM - TN1; Wrist Unit COM - FT; Capsule COM - FTC

DIVING NO-DECOMPRESSION DIVE
 Current depth: 30 ft.
 available no-dec time:
 1:13 min., and elapsed
 dive time: 31 min. Altitude
 setting indicator: AO
 water temperature: 73 F

DIVE PLANNING
 Planned depth: 30 ft.
 (scroll from 30'-150')
 no-decompression
 time available: ~2 min.
 (at planned depth)
 dive number 2 was
 31 min

16



3 gauge console one sided

3 gauge console two sided

2 gauge console

wrist unit


hose mount unit

914

3 gauge console
two sided

3 gauge console
one sided

2 gauge console




wrist unit

pressure gauge

Sea Quest's gauges feature an open bourdon tube mechanism for reliable and accurate readings and are interchangeable with our other console systems. The SM16 depth gauge is available in 150' or 230' depths with maximum depth indicator. Also available the SM26 pressure gauge with protective boot.

- 3 Gauge One Sided CB53 - 150 or 230
- 3 Gauge Two Sided CB3 - 150 or 230
- 2 Gauge CB52 - 150 or 230
- Wrist Unit SM16 - 150 or 230
- Pressure Gauge SM26



add on feature to the
2 gauge console

Designed with jeweled pivot bearing for smooth movement of the compass needle.

- Compass module for CB52 - CB1-SK6
- Side reading SK6 Plastic housing SK5
- Aluminum housing SK4
- Side reading hose mount SK6-TN2



COMPUTERS
GAUGES
COM

Don't let the cold prey on you. Step into the Predator—our ultimate cold water wetsuit. This nylon 2 side wetsuit combines a 7.0mm step-through jacket, skin to skin seal on front zipper, and 5.0mm skin-in torso former john for an attack on the elements. Unique inner forearm GASKET-LOC™ seals ensure minimum water exchange. Features also include skin-in neck seal, ankle zippers with sealing gussets, elastomeric kneepads, and spine and kidney pads. Fight off the cold with the Predator from Sea Quest.

Black Red Charcoal
27230

PREDATOR
SEAQUEST



dual seal skin-in front zipper



inner forearm GASKET-LOC™ seals



5.0mm skin-in torso in the former

WETSUITS

VENTURA / GLOVES / BOOTS
HOODS / TROPIX 3.0 WETSUIT

Don't be afraid to venture out into the cold. The Ventura, a basic wetsuit that offers more than the basics. The Ventura features 6.5mm double-sided nylon neoprene construction, step-through jacket and a farmer john with single velcro entry. Knee pads enhance durability.

The Ventura is true adventure wear from Sea Quest.

Black/Lime/Blue - 27140 (Men's S-XXXL)



20



Horizon - Durable 5.0mm thick glove gives added warmth and protection.

9241-9246 (S-XXL)

Sport - 3.0mm glove with Amara Palm and elastic Velcro strap. Comfort and flexibility.

9251-9255 (S-XXL)

Tough 5.0mm boots with zipper and sealing gussets are fitted with arch-enhanced soles for added comfort.

9205-9213 (S-XXL)



Skin-in face seals close the door on water exchange.

Nylon 2 side interior for added comfort.

11170 (S-XXL)



98



also available in Black/Blue
and Black Charcoal™

also available in Black/Blue
and Black/Spruce/Purple

WARM WATER WETSUITS

Bold colors and styling complement these sturdy 3.0mm warm water wetsuits. Step through jacket, single velcro entry, ankle zip-pers. MICROPLUSH™ lining ensure that you have a suit that fits as good as it locks. New this year: women's shortie leg design.

And with durable triple-glued mauser seam construction, mold-ed knee pads, the Tropix 3.0mm just might suit you for life.

Black/Lime - 27152; Black/Blue - 27151; Black Charcoal - 27150

Black/Raspberry - 27245; Black/Blue - 27242
Black/Spruce/Purple - 27247

Zip up confidently and comfortably in this 3.0mm wetsuit. Durable laminated neoprene construction—nylon on the outside, MICROPLUSH™ on the inside—and tough mauser stitching sets new standards in protective comfort in a front zip suit.

Shield yourself from the elements with style in the Tropix 3.0mm Jumpsuit.

Black/Blue - 7101 (Mens to XXL)

WETSUITS

2.0mm THINS
POLAR SKINS
3/2 NEOTHINS

Super thin, super comfortable, super wetsuit. Overlock seam construction and high-density neoprene provide a more comfortable fit and unbeatable durability. The convenient back zip makes for easy donning and doffing. Available in men's and women's Jumpsuit and Shortie models.

JUMPSUIT

Black/Lime - 7172; Black/Blue - 7171; Black/Charcoal - 7170

Black/Blue - 7272; Black/Raspberry - 7173; Black/Spruce/Purple - 7177

SHORTIE

Black/Charcoal - 7180; Black/Blue - 7181; Black/Lime - 7182

Black/Spruce/Purple - 7187; Black/Raspberry - 7183; Black/Blue - 7282

22



also available in Black/Blue

also available in Black/Blue
and Black/Charcoal

available
Black/

100



POLAR SKIN

Experience the benefits of a second skin. Introducing the Polar Skin. A warm-water suit constructed of revolutionary Polartec Thermal Stretch Fabric with fleece lining for superior comfort and protection from the elements. This jumpsuit features a convenient back zipper, ankle stirrups and thumb stops.

Polar Skin. The suit for those times when you could almost dive without one.

Black - 7110; Black/Blue - 7112 (Men's S-XXL)

Black/Blue - 7012; Black - 7010 (Women's S-XXL)


3/2 NEOTHIN

This suit refuses to compromise warmth and protection for flexibility. And vice versa. Sea Quest's new interlock flatseam joins together a 3.0mm neoprene body with 2.0mm arms and legs. The result is protection where you need it most and a degree of freedom unheard of in single thickness suits.

3/2 Neothin is the best of both worlds.

Black/Charcoal - 7160; Black/Blue - 7161; Black/Lime - 7162 (Men's S-XXL)

Black/Raspberry - 7165 (Women's S-XXL)



also available in Black/Blue

also available in Black/Blue

