

October 6, 2022

Ms. Katharine E. Morgan President ASTM International 100 Barr Harbor Drive West Conshohocken, PA 19428

Dear Ms. Morgan:

Thank you for your letter of July 17, 2022, notifying the U.S. Consumer Product Safety Commission (CPSC) of publication of a revised standard, ASTM 2022 ^{£1}, *Standard Consumer Safety Specification for Bassinets and Cradles*.

In light of CPSC staff's September 14, 2022, "Staff's Briefing Package: ASTM's Notice of Revised Voluntary Standard for Bassinets and Cradles"¹, on September 23, 2022, the Commission voted unanimously (5-0) to determine that ASTM F2194-22^{£1} does not improve the safety of bassinets and cradles or infant sleep products.² The Commission directed staff to notify you of this determination. The CPSC Chair's and two Commissioners' joint statement is included in the Record of Commission Action (linked in footnote 2 below).

The Commission is retaining the existing rule for bassinets and cradles at 16 CFR part 1218, which incorporates by reference ASTM F2194 – 13, Standard Consumer Safety Specification for Bassinets and Cradles, with modifications to make the standard more stringent (78 Fed. Reg. 63,019 (Oct. 23, 2013)).

Sincerely,

Celestine T. Kish Bassinet and Cradle Project Manager Division of Human Factors Directorate for Engineering Sciences

cc: Jacqueline Campbell – CPSC Voluntary Standards Coordinator
Don Mays – Chairman, ASTM Committee F15 on Consumer Products
Molly Lynyak, Manager, Technical Committee Operations Scott Lewis – ASTM
Bassinet and Cradle Subcommittee Chairman

U.S. Consumer Product Safety Commission 4330 East–West Highway Bethesda, MD 20814 National Product Testing & Evaluation Center 5 Research Place Rockville, MD 20850

¹ https://www.cpsc.gov/s3fs-public/ASTMs-Notice-of-a-Revised-Voluntary-Standard-for-Bassinets-and-Cradles.pdf?VersionId=x73F5OmeW4AJujWJEq8.kBZ28aTFLb2x

² https://www.cpsc.gov/s3fs-public/RCA-ASTMs-Notice-of-a-Revised-Voluntary-Standards-for-Bassinets-and-Cradles.pdf?VersionId=cfj.qZe5KITS2AY3G69UwltalltP4LRk