

## MEETING LOG

**SUBJECT: ASTM F15.16 High chairs subcommittee meeting**

**LOCATION:** *Webex (virtual meeting)*

**DATE:** 11/9/21 (rescheduled from 11/8/21)

**ENTRY DATE:** 12/15/21

**LOG ENTRY SOURCE:** Stefanie Marques

**COMMISSION ATTENDEES:** Stefanie Marques, Tim Smith (ESHF), Zach Foster (ESHF), Zachary Goldstein (LSM), Carlos Torres (ESMC), Ashley Johnson (HSPP), Suad Wanna-Nakamura (HSPP), Susan Proper, (EC) Sammy Sarwar (CRE), and Keysha Walker (CRE), and Celestine Kish (ESHF)

**NON-COMMISSION ATTENDEES:** Contact ASTM for attendee list

### MEETING SUMMARY:

Staff participated in the following subcommittee discussions:

Negative votes on the weight positioning ballot were discussed and were resolved or withdrawn. The subcommittee decided to table the discussion on using a shot bag as a possible test weight. An updated high chair standard will include the new ballot and be published later in the month.

The wording of restraint system was discussed and the subcommittee decided to be consistent throughout the standard and that this change was editorial. This will also be included in the updated high chair standard.

Revised figure task group reported that they determined there was no need to revise the stability test figures, because the current figures are sufficient.

High chair incidents were discussed and a task group was formed to review incidents involving leg and frame failures, finger entrapments and restraint system failures. Subcommittee requested redacted IDI's of incidents involved in these hazards.

An elevated baby bath tub product was discussed and whether it falls under the scope of the high chair standard. The subcommittee determined that it most likely does not fall under the scope of high chair standard and will follow up with the bath tub subcommittee.

