

Estimated ED-treated injuries for the top 10 products for each year from 2012 through 2019 are provided in <https://www.cpsc.gov/content/Unintentional-Pediatric-Poisoning-Injury-Estimates-for-2019>, pp 3, 7-9. Data for the year 2020 are provided in <https://www.cpsc.gov/content/Annual-Report-on-Pediatric-Poisoning-Fatalities-and-Injuries>, pp 11.

Shown below is the tabulation for the 2021 top 10 products involved in unintentional pediatric poisoning injuries.

Table A.1: 2021 ED-Treated Unintentional Pediatric Poisoning Estimates by Top 10 Products*

Product	Estimate	CV	95% CI
Blood Pressure Medications	5,800	20.29%	3,500 – 8,100
Acetaminophen	4,700	20.31%	2,800 – 6,500
Antidepressants	3,100	21.77%	1,800 – 4,400
Laundry Packets	3,000	21.89%	1,700 – 4,200
Bleach	3,000	22.16%	1,700 – 4,200
Dietary Supplements	2,500	23.21%	1,400 – 3,700
Ibuprofen	2,000	19.64%	1,300 – 2,800
Illegal drugs	2,000	27.88%	900 – 3,100
Attention Deficit Disorder Medications	2,000	23.75%	1,100 – 2,900
Unknown	1,700	16.31%	1,200 – 2,200

Source: National Electronic Injury Surveillance System.

*Adjusted to exclude adverse reactions, therapeutic errors, and exposures beyond the victim’s control.