


Uses of Phthalates and Other Plasticizers



Allen Godwin
ExxonMobil Chemical Company
July 26, 2010




Very Few Plasticizers are General Purpose

General Purpose Plasticizer:


- Offers the optimized balance of performance and costs
- Offers flexibility at the lowest cost
- Provides good low temperature properties and acceptable volatility
- Can be used with a variety of processing techniques
- Usable in almost every market segment

Specialty Plasticizer:

- Imparts one or more special properties but may offer compromised properties in other areas
- Unavailable in sufficient quantities or at competitive pricing to supply a large portion of flexible PVC market
- Cannot be used in all or most flexible PVC processing techniques because of its physical form



Not all Phthalates are Used as Plasticizers



- Plasticizers

- Plasticizers are chemicals that are added to other polymeric substances to improve the flexibility of the polymer or to aid in processing the polymer
- Once fused, the compound of PVC resin and plasticizer is stable; with heat, extreme stress, or an extracting media would be required to release some of the plasticizer
- Plasticizers are poor solvents for the polymer
- Plasticizers are have low volatility
- Plasticizers will lose the ability to improve flexibility if the plasticizer is chemically attached to the polymer
- For phthalate esters, the plasticizer range extends from esters prepared from C4 alcohols to C13 alcohols. However because of high volatility, C4 - C6 phthalate esters are no longer used as PVC plasticizers in most countries


- Solvents

- Solvents are included in a variety of formulations,
 - help solubilize a necessary ingredient or to
 - aid in spreading or the application of the product
- Solvents are not designed to be a permanent part of the finished product
- Evaporation rate of the solvent is designed for the application
- C1 to C3 (i.e. DEP, DMP, DPP) phthalate esters are solvents, not PVC plasticizers. C4 phthalates (i.e. DBP) find some specialty uses as solvents, but its use is declining


Property Comparison of Plasticizers



General Purpose Plasticizer:




- Attributes:
- Low cost
 - UV resistant
 - Adhesion
 - Heat stable
 - Stain resistant
 - Low emissions
 - Low fogging
 - Low conductivity
 - Low volatility
 - Resistance to hydrolysis
 - Chemically resistant
 - Low maintenance
 - Long service life
 - Non staining
 - Stability
 - Chemically stable
 - Good look & feel




Citrates

limited volumes, performance lacking in permanence, high costs




ESO

processability issues; long term compatibility problems



DOTP

Slightly more difficult to process and less compatible.



DINCH™

Some processability issues, only available from one supplier; capacity limited



Market and Uses of Plasticizers





2008 US Plasticizer Demands

Total Market = 847 K metric tons

Source: SRI 2009 Plasticizer CEH Report


- High Molecular Weight
- Low Molecular Weight
- Other Phthalates (HMW & LMW)
- Solvents



2008 US Phthalate Demand


Uses of Phthalates as Plasticizers

Source: Flexible Vinyl Alliance 2010
Excludes Phthalates used exclusively as solvents (i.e. Perfumes, Lotions, etc.)



ExxonMobil
Chemical

Examples of Plasticizers Used in Different Market Segments




Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymers	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates
Solvents (Non Plasticizer Uses)	Cosmetics / creams	✓	✓	✓	✓																		
	Fragrances/ Perfumes/ Candles/ Shampoos, etc	✓	✓	✓	✓																		
Flooring	Vinyl tile					✓	✓		✓	✓	✓				✓								
	Resilient Flooring					✓	✓	✓	✓	✓	✓				✓								
	PVC backed carpeting								✓	✓	✓												
Automotive	Interior Trim									✓	✓	✓					✓						✓
	Exterior trim								✓	✓	✓	✓		✓			✓						
	Undercoating/sealants					✓	✓		✓	✓	✓												
	Exterior paint					✓																	
	Wiring									✓	✓	✓	✓	✓	✓		✓						
Constuction (other than wire and cable, flooring)	Caulks and Sealants					✓			✓	✓	✓				✓								
	Wall Paper					✓			✓	✓	✓												
	Hoses						✓		✓	✓	✓		✓										
	Paint (lacquers)					✓	✓		✓	✓	✓												
	Vinyl siding capstock								✓	✓	✓	✓						✓					
	Roofing									✓	✓	✓		✓				✓					
	Urethane sealants								✓	✓	✓	✓			✓						✓		
Medical	Invasive Use						✓							✓		✓	✓						
	Other, non invasive								✓	✓	✓					✓							
	PVC Examination gloves					✓	✓		✓	✓	✓						✓					✓	
Clothes	Shoes						✓		✓	✓	✓							✓	✓				
	Inks								✓	✓	✓			✓									
	Handbags / luggage					✓	✓		✓	✓								✓	✓				
Household/ other	Furniture							✓	✓	✓	✓	✓			✓						✓		
	Garden hose						✓		✓	✓	✓									✓			
	Table Cloths							✓	✓	✓	✓							✓					
	Shower Curtains					✓		✓	✓	✓	✓							✓					
	Floor Mats					✓		✓	✓	✓	✓							✓					
	Blanket storage bags						✓		✓	✓	✓									✓			
	Toys							✓	✓	✓	✓					✓		✓	✓	✓	✓	✓	✓
	Food								✓	✓	✓					✓		✓	✓	✓			
Wire and Cable	Building wire									✓	✓	✓	✓	✓									
	Wire and Cable-other						✓		✓	✓	✓	✓	✓	✓									

Snapshot of vinyl industry only, attempts to highlight some of the more important end uses but not meant to represent a complete picture of the North American vinyl market.



Non Plasticizer Uses -- Solvent



Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates
Solvents (Non Plasticizer Uses)	Cosmetics / creams	✓	✓	✓	✓																		
	Fragrances/ Perfumes/ Candles/ Shampoos, etc	✓	✓	✓	✓																		




Subset	Desired Plasticizer attributes	Typical Products	Not Preferred
Cosmetics/ creams	High solvency low cost, low odor, safe, no irritation	C1-C4 phthalates	DINP, DIDP, DPHP, DTDP, linear phthalates, trimellitates
Fragrances, Perfumes, Candles, Shampoos, etc	High solvency low cost, low odor, safe, no irritation	C1-C4 phthalates	DINP, DIDP, DPHP, DTDP, linear phthalates, trimellitates

Plasticizers for Wire and Cable Insulations



Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates	
		Wire and Cable	Building wire									✓	✓	✓	✓	✓								
Wire and Cable-other							✓		✓	✓	✓	✓	✓	✓										



Subset	Desired Plasticizer attributes	Typical Products	Not Preferred
Building wire	Very safe for long term use, Low volatility, low conductivity, ease of processing	Higher MW plasticizers such as DIDP, DPHP, trimellitates, L911P, L11P, DTDP	Low MW phthalates including DEHP, citrates, Cyclohexanoates, natural oil based
Wire and Cable-other	Safety is always important. Other properties vary depending upon service life requirements, or low temperature flexibility, migration resistance to other plastics, resistance to oil and grease, or automotive interior fogging requirements	DEHP, DINP, DIDP, DPHP, trimellitates, L9P, L11P, L911P, DTDP. DOTP	Low MW phthalates, citrates, Cyclohexanoates, natural oil based plasticizers

Plasticizers for Construction Products*



Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates
Constuction (other than wire and cable, flooring)	Caulks and Sealants					<			<						<								
	Wall Paper					<			<	<	<												
	Hoses						<		<	<	<			<									
	Paint (lacquers)					<	<		<														
	Vinyl siding capstock								<	<	<	<					<						
	Roofing									<	<	<	<	<			<						
	Urethane sealants								<	<	<	<	<		<					<			




Subset	Desired Plasticizer attributes	Typical Products	Not Preferred
Caulks and Sealants	Low indoor air emissions, film coalescer, long shelf life	BBP, dibenzoates, C7 phthalates,	DTDP, TINTM, polymeric, citrates
Wall Paper	Low indoor air emissions, film coalescer, long shelf life, printability	DINP, DIDP, DPHP, some BBP	citrates, DINCH, trimellitates, natural oil plasticizers
Hoses	NSF potable water or FDA approval, high clarity, low water solubility, hydrolytic stability	DINP, DIDP, DPHP, trimellitates	citrates, low MW phthalates,
Paint (lacquers)	Good film forming properties, low temperature, low odor	DEHP, DINP, DBP	trimellitates, DIDP, DPHP, L911P.
Vinyl siding capstock	Some vinyl siding capstock may use plasticized PVC- here requirements are good UV stability, low volatility	DINP, DIDP, DPHP, L9P, polymeric	C1-C7 phthalates, trimellitates, citrates, natural oil plasticizers
Roofing	long service life (up to 20 years), UV resistance, low volatility	DIDP, DPHP, L9P, L11P, L911P, trimellitates	C1-C8 phthalates, citrates, natural oil plasticizers
Urethane sealants	good shelf life, compatibility, UV resistant, low volatility	Mesamoll, L11P, dibenzoates, DIDP, DINP, L911P, L9P	citrates, natural oil plasticizers

* Other than wire/ cable and flooring

Plasticizers for Automotive Vinyl Materials



Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates
		Automotive	Interior Trim									✓	✓	✓		✓			✓		✓		
Exterior trim									✓	✓	✓	✓		✓			✓						
Undercoating/sealants						✓	✓		✓	✓	✓												
Exterior paint						✓																	
Wiring										✓	✓	✓	✓	✓			✓						




Subset	Desired Plasticizer attributes	Typical Products	Not Preferred
Interior Trim	Low fogging, ease of processing, chemically stable, UV resistant, heat stable, long service life, good surface feel or softness	DIDP, DPHP, L9P, L911P, L11P plus trimellitates and polymeric, sebacates, adipates	C1-C9 phthalates, citrates, DOTP,
Exterior trim	Low volatility, ease of processing, chemically stable, UV resistant, heat stable	DINP, DIDP, DPHP, L9P, L911P, L11P plus trimellitates and polymeric	C1-C4 phthalates, citrates
Undercoating/sealants	Ease of processing, adhesion, stability	DIDP, DINP, DPHP, BBP, Dibenzoates	C1-C4 phthalates, citrates, trimellitates, DINCH
Exterior paint	Heat/cold resistant paint, compatibility, UV resistant, stain resistance	BBP	phthalates, trimellitates, citrates
Wiring	low volatility, oil extraction resistance, heat stable, low conductivity, low fogging	DIDP, DPHP, L9P, L911P, L11P, trimellitates and polymeric	C1-C8 phthalates, citrates, DINCH,

Plasticizers for Vinyl Flooring and Carpets




Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates
		Flooring	Vinyl tile					<	<	<	<	<	<				<						
Resilient Flooring						<	<	<	<	<	<				<								
PVC backed carpeting									<	<	<												



Subset	Desired Plasticizer attributes	Typical Products	Not Preferred
Vinyl tile	Ease of processing, low migration rates into adhesives, long service life	BBP, Dibenzoates, DINP, DEHP, DIDP, DPHP	C1 to C4 phthalates, Higher MW products such as trimellitates; natural oil plasticizers, citrates, DINCH
Resilient Flooring	Ease of processing, stain resistance, foam stability, low emissions, low odor, long service life, low maintenance	BBP, Dibenzoates, DINP, DEHP, DOTP, DPHP	C1 to C4 phthalates, Higher MW products such as trimellitates or C10 phthalates; natural oil plasticizers, citrates, DINCH
PVC backed carpeting	Ease of processing, resistance to hydrolysis, chemical stability, low emissions, low odor	DINP, DIDP, DOTP	C1 to C4 phthalates, trimellitates, citrates, DINCH

Plasticizers for Medical Products



Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates	
		Medical	Invasive Use						✓							✓			✓					
	Other, non invasive								✓	✓	✓						✓							
	PVC Examination gloves					✓	✓		✓								✓						✓	



Subset	Desired Plasticizer attributes	Typical Products	Not Preferred
Invasive Use	Prior approvals, long history of safe service, resists color change in sterilization, low color, low odor, high purity	DEHP, trimellitates, citrates, polymeric	C1-C7 phthalates, DINP, DIDP, DTDP, DPHP, linear phthalates
Other, non invasive	Migration resistance, high clarity, low odor, chemically stable	DINP, DIDP, DPHP, citrates	C1-C7 phthalates
PVC Examination gloves	Food contact approval, no skin irritation, easy to process, no pinholes	DINP, TXIB, DEHP, polymeric	C1-C7 phthalates, trimellitates

Plasticizers for Clothing Products



Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates	
Clothes	Shoes						<		<	<	<							<	<					
	Inks								<	<	<			<										
	Handbags / luggage					<	<		<	<	<							<	<					



Subset	Desired Plasticizer attributes	Typical Products	Not Preferred
Shoes	Higher quality- flexibility, low density, stable, low wear	DINP, DIDP, DPHP, DEHA, DINP, DEHP, DOTP	DTDP, L11P, L911P, C1-C3 phthalates, trimellitates
Inks	Low migration, low water solubility, permanent, ease of processing	trimellitates, DINP, DIDP,	C1-C6 phthalates, DTDP, L11P, L911P
Handbags / luggage	Low migration, low odor, non staining, chemical resistance	DINP, DIDP, BBP, DEHA, DINP	trimellitates, citrates

Plasticizers for Miscellaneous Applications




Segment	Subset	DMP	DEP	DPP	DBP	BBP	DEHP	DOTP	DINP	DIDP	DPHP	Linear (C9-11)	DTDP	Trimellitates	Dibenzoates	Citrates	Polymeric	DINCH	Adipates	Mesamoll	Natural oil based	TXIB	Sebacates
		Household/ other	Furniture							✓	✓	✓	✓	✓			✓					✓	
Garden hose							✓		✓	✓	✓	✓							✓				
Table Cloths							✓	✓	✓	✓	✓							✓					
Shower Curtains						✓		✓	✓	✓	✓							✓					
Floor Mats						✓		✓	✓	✓	✓							✓					
Blanket storage bags							✓		✓	✓	✓								✓				
Toys								✓	✓								✓		✓	✓	✓	✓	✓
Food									✓	✓	✓						✓		✓	✓	✓		



Subset	Desired Plasticizer attributes	Typical Products	Not Typically Used
Furniture	Low emissions, low odor, stain resistance, chemical resistant, ease of	DINP, DIDP, DPHP, BBP, L9P, L911P, DOTP	C1-C6 phthalates, citrates, natural oil plasticizers
Garden hose	Low water solubility, hydrolysis resistant, low migration, low odor, low	DEHP, DINP, DIDP, adipates	BBP, C1-C6 phthalates, trimellitates, DTDP, L11P, L911P
Table Cloths	Low cost, migration resistant, chemical resistant, stain resistant	DINP, DEHP, DIDP, DPHP, DOTP	C1-C6 phthalates,
Shower Curtains	Low odor, stable, migration resistance, low water solubility	DINP, DEHP, DIDP, DPHP, DOTP	C1-C6 phthalates,
Floor Mats	Foaming quality, low cost, low migration, low emissions, stain resistance	BBP, DINP, DIDP, DPHP, DOTP	C1-C6 phthalates,
Food Contact	FDA approvals, low color, low odor, low migration, low water solubility	DEHA, with minor levels of DIDP, DPHP, Mesamoll, DINCH, DINP,	C1-C7 phthaltes, DTDP, linear phthalates
Blanket storage bags	Low cost, low odor, migration resistant, high clarity, non-yellowing	DEHP, DINP, DIDP, DPHP, adipates	C1-C6 phthalates, DTDP, trimellitates
Toys	Properties: low odor, high purity, low migration, faster processing	DINCH, DOTP, citrates, Mesamoll, adipates, polymeric, natural oil	C1- C6 phthalates, TINTM, L911P, L11P

Backup



“Other” plasticizers



- Ten's of thousands of these non-phthalates have been suggested for use as plasticizers. The most important products include the chemical classes:
 - Citrates
 - Dibenzoates
 - Polyol esters
 - Alkyl aromatic sulfonates
 - Cyclohexane diacid esters
 - Terephthalates
 - Epoxidized oils
 - Modified vegetable oils
 - Other dibasic acids (azelates, sebacates)
 - Phosphates
 - Isobutyrate
 - Hydrocarbon oils or extenders
- None of these classes are new; most have been available commercially in some form for more than 40 years

Vita for Allen Godwin



Dr. Allen Godwin is a Senior Research Associate for ExxonMobil Chemical and manages the Product Application Support group for the Americas OXO business group. After obtaining his PhD degree in Organic Chemistry from Texas A&M University, Allen worked as a post-doctorial Fellow at Florida State University and then joined Arco Chemical as an Analytical Chemistry Manager in their Chemical R&D group. In 1981 Allen joined ExxonMobil to work with their line of plasticizers. During the past 29 years, Allen has worked in plasticizer manufacturing, plasticizer technology, new product development, technology management, and new plasticizer research and development, in the US, Europe, and Asia. Allen has published four chapters on plasticizers for various text books and has presented papers on plasticizers and plasticizers technology through out the Americas. Allen holds more than 24 patents on new technologies and new plasticizers.

©2010 Exxon Mobil Corporation. To the extent the user is entitled to disclose and distribute this document, the user may forward, distribute, and/or photocopy this copyrighted document only if unaltered and complete, including all of its headers, footers, disclaimers, and other information. You may not copy this document to a Web site. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date compiled, but we do not represent, warrant, or otherwise guarantee, expressly or impliedly, the merchantability, fitness for a particular purpose, suitability, accuracy, reliability, or completeness of this information or the products, materials, or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage, or injury directly or indirectly suffered or incurred as a result of or related to anyone using or relying on any of the information in this document. There is no endorsement of any product or process, and we expressly disclaim any contrary implication. The terms, "we", "our", "ExxonMobil Chemical", or "ExxonMobil" are used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates they directly or indirectly steward