

CPSA 6 (b)(1) Cleared

4/29/96
No. 1111/Prv/Cbirs of
Product

LOG OF MEETING

SUBJECT: Child Resistant Packaging protocol testing regulations and lidocaine regulation.

DATE OF MEETING: 04-25-96

PLACE: CPSC Headquarters, Bethesda, MD.

LOG ENTRY SOURCE: Charles J. Wilbur, EHPS *SW*

COMMISSION REPRESENTATIVES:

See attached Attendees list.

NON-COMMISSION REPRESENTATIVES:

See attached Attendees list.

SUMMARY OF MEETING

The availability of senior friendly child resistant packaging for lidocaine and ammonia containing products was discussed. Of particular concern was the availability of a senior friendly CR mechanical pump for their product. The suppliers of CR mechanical pumps was reviewed.

MEMO RECORD

AVOID ERRORS
PUT IT IN WRITING

DATE 04-25-96

FROM: CHARLES J. WILBUR, EHPS

OFFICE EPIDEMIOLOGY &
HEALTH SCIENCESTO: CPSC, Office of Secretary, 301-504-0800, Ext
1502, Room 502

DIVISION EHPS

SUBJECT: Tender Corporation, Mr. Ted Grout, VP, meeting to discuss Child-
Resistant Packaging; 2:00 p. m., East West Towers, CPSC, Rm. 612, 4/25/96,

SUMMARY

ATTENDEES

Name	Company	Telephone
Charles J. Wilbur	CPSC-EHPS	301-504-0477 Ext 1204
Suzanne Barone	CPSC-EHPS	301-504-0477 ext. 1196
JACQUELINE FERRANTE	CPSC-EHPS	301-504-0477 x 1199
MAUREEN GIBLO	PRODUCT SAFETY LETTER	703-247-3423
EDWARD GROUT	TENDER CORP.	603-444-5464
HERB ESTREICHER	CBS	(202) 662-5576
C. Boyd Bush	Tender Corp	603-444-5464
TEWABE ASEBE	CPSC/EHPS	(301) 504-0477 ext. 1379
MARCIA ROBINS	CPSC/EC	(301) 504-0962 x 1329
Michael Bogumill	CPSC/CRM	(301) 504-0400 x 1368

SIGNATURE: CHARLES J. WILBUR, EHPS

DOCUMENT NUMBER
C:\wpwin\files\alist.for