

CBP and Trade Automated Interface Requirements

CPSC eFiling Implementation Guide
Version 2.3

April 2026



U.S. Customs and
Border Protection



CPSC

Important Note for Filers: This Implementation Guide (IG) is intended to be used by the trade community to prepare for the implementation of eFiling. eFiling is **now open for Self-Registration**. Other supporting guidance documents can be found at <https://cpsc.gov/eFiling-Document-Library>

Contents

Change Log	4
General Introduction.....	6
Contact Information	6
CPSC eFiling	7
Filing Methods	7
Three Methods to eFiling PGA Message Sets.....	9
(1) Disclaimer PGA Message Set.....	10
Disclaimer Examples.....	10
Record Identifier OI	11
Record Identifier PG01	11
(2) Reference PGA Message Set	14
Record Identifier OI	14
Record Identifier PG01	15
Record Identifier PG02	16
Record Identifier PG14	17
(3) Full PGA Message Set.....	18
Identify the Product	19
Record Identifier OI	20
Record Identifier PG01	20
Record Identifier PG02	23
Record Identifier PG07	24
Record Identifier PG10	25
PGA Message Set Structure PG19 – 21:	26
Record Identifier PG19	27
Record Identifier PG20	30
Record Identifier PG21	31
Record Identifier PG22	32
Record Identifier PG25	33
Record Identifier PG30.....	34
Record Identifier PG60	35
PGA Message Set Order	38
Appendix	40

Change Log

Date	Effective Date	Version No.	Description	Page #	Author
2026	2026	2.3	Minor text updates for clarity throughout the document Removed reference to <i>de minimis</i> Removed references to Voluntary Stage Update to Disclaimers Updated Full Message Set details Updates to PG19 Updates to PG20 Updates to PG30 Updates to PG60 Updated hierarchy diagram Updated example message order Updated Appendix	ALL 7 ALL 10-13 18 27 30 34 35-37 38 39 40-42	Andrea Rucker-Yarosh, Brian Holsey, CPSC
11/14/2024	11/20/2024	2.2	Update to <i>De minimis</i> shipments	8	Kat Rickerson, CPSC
09/09/2024		2.1	Update to Disclaimers	9	Kat Rickerson, CPSC
08/02/2024		2.0	Update to Important Note Update to General Introduction Removal of Scope of Beta Pilot Update to Disclaimers Update to PG19 Update to PG60	2 5 9 25 32	Arthur Laciak, CPSC
02/01/2024		1.6	Added directions for Disclaimers Updates to PG19	11 28	Arthur Laciak, CPSC
08/08/2023		1.5	Update to Product Identifier Guidance Removed PG08 from Full Message Set Removed PG24 from Full Message Set Updated PG60 for CIT	20 37	Arthur Laciak, Brian Holsey, CPSC
05/25/2023		1.4	Removed PG14 for Disclaimer Message Set Clarified use of Disclaim A and B	11-14	Arthur Laciak, CPSC
04/18/2023		1.3	Added PG14 to Disclaimer Message Set Updates to PG19 Updates to PG60 Updates to PGA Message Set Order	13 28 36 38-39	Arthur Laciak, CPSC
02/23/2023		1.2	Review by Beta Pilot IT Development Advisory Group: Update to data elements Clarified use of different filing methods Clarified directions for Disclaimers	6 7 11 27-29	Arthur Laciak, CPSC

			Updates to PG19 Updates to PG22 Updates to PG24 Updates to PG30 Updates to PGA Message Set Order Minor edits throughout	32 33 35 37-38	
01/04/2023		1.1	Minor edits after CPSC agency review	ALL	Arthur Laciak, CPSC
12/23/2022		1.0	Draft finalized by EXIS for agency clearance	ALL	Arthur Laciak, Jim Joholske, Sabrina Keller, CPSC
12/20/2022		0.2	Review and changes proposed by CBP	ALL	Emi Wallace, CBP Arthur Laciak, CPSC
12/08/2022		0.1	Internal review by EXIS	ALL	John Blachere, Andrea Rucker-Yarosh, CPSC
12/02/2022		0.0	Initial version based upon eFiling Alpha Pilot IG document (v3.2)	ALL	Arthur Laciak, CPSC

General Introduction

This document is intended as a supplemental guide to the CBP Customs and Trade Automated Interface Requirements (CATAIR) PGA Message Set chapter. This PGA Implementation Guide (IG) provides CPSC-specific guidance regarding CPSC's business requirements for data submission.

The general CATAIR chapters and appendices can be found on CBP.gov at:
<http://www.cbp.gov/trade/ace/catair>

Click on the "PGA Message Set" tab for the following documents:

- PGA Message Set (formatting/processing guide)
- Appendix PGA (codes for data submission)

REMINDER: The PGA Message Set cannot be submitted on its own and must be submitted as part of a valid Automated Commercial Environment (ACE) transmission, such as an entry filing.

Contact Information

For questions about eFiling, please contact:
Office of Import Surveillance, CPSC
eFilingSupport@cpsc.gov

CPSC eFiling

This document provides specific details on what the requested Certificate of Compliance data are and how the data should be formatted.

Participants will file, at a minimum, the seven Certificate of Compliance data elements listed below for regulated finished products:

1. Product Identification¹;
2. List of Applicable Rules and/or Statutory or Regulatory Testing Exclusions;
3. Identification of Certifier;
4. Contact for Records and optional electronic access to records;²
5. Manufacture Date and Place;
6. Test Date and Place; and
7. Attestation.

Note: CPSC is requiring each certificate contain information for only one product. If a product is materially different, meaning that it has a different product design, manufacturing process (including location), or source of component parts (including paints and materials) from another similar product, then each product should have a separate eFiled certificate.³ In other words, if a certifier expects that the difference in a product can affect compliance, then each product should have a separate eFiled certificate.

Filing Methods

CPSC will use CBP's ACE system for filers (either an importer or broker) to allow trade to electronically file Certificate of Compliance data as a supplement to entry information being submitted to CBP. CPSC data will be submitted via the PGA Message Set—the standard process for all PGAs to receive their required data. Trade has the option to provide the following CPSC data:

1. Full PGA Message Set—filing all Certificate of Compliance data at time of entry, OR
2. Product Registry and Reference PGA Message Set—filing only a reference to Certificate of Compliance data at the time of entry that links to a prior entry of Certificate of Compliance data in the CPSC Product Registry.

Using either method, the data would be submitted via the PGA Message Set as part of an ACE entry, or an ACE entry summary certified for release. Participants who are filing entry of a product that requires Certificate of Compliance data will have the flexibility to select

¹ Further defined in the section: Identification of the Finished Product

² The individual may be a position title, with a generic email and phone number.

³ This explanation is based on the definition of [material change](#).

the option they prefer for each entry. Different methods, including a disclaimer message set, may be used for different products imported under the same entry.

Full PGA Message Set

With this option, when trade files an entry or an entry summary certified for release, trade can include the Full CPSC PGA Message Set of the required Certificate of Compliance data for each imported product. This will enable all entry-related information to be entered in the system at one time.

CPSC Product Registry and Reference PGA Message Set

The Product Registry is an alternative option that allows the full Certificate of Compliance data for each imported product to be filed one time with CPSC, prior to the entry filing. With this option, trade can then file a much shorter PGA Message Set each time the product is imported. The Product Registry will be created and maintained by CPSC.

With this option, participants enter all Certificate of Compliance data in the CPSC Product Registry for each imported product *prior to* filing an entry with CBP. Filers then only need to provide a few elements of reference data related to the Certificate of Compliance using the Reference PGA Message Set during the entry process, rather than providing all of the Certificate of Compliance data along with each entry filing.⁴

⁴ Many regulated consumer products require periodic testing and, as a result, the certificate may need to be updated in the Product Registry.

Three Methods to eFiling PGA Message Sets

There are three methods to file PGA Message Set data. These are determined by the filer's decision on filing method (Full PGA Message Set, or Product Registry and Reference PGA Message Set), as well as the circumstances of the type of product being filed. Different methods may be used for different products imported under the same entry. Multiple OI records may be submitted per Entry Line.

- 1) Disclaimer PGA Message—this is used for products imported under an HTSUS code that are identified by CPSC, but that do not require Certificate of Compliance data.
- 2) Reference PGA Message—allows Certificate of Compliance data for each imported product to be entered electronically with CPSC through the Product Registry prior to submitting an entry. The full Certificate of Compliance data are entered in advance in the CPSC Registry while a reference to that Certificate of Compliance data is filed at entry.
- 3) Full PGA Message—allows Certificate of Compliance data for each imported product to be filed via the PGA Message Set at the time of entry.

(1) Disclaimer PGA Message Set

A disclaimer PGA Message Set is optional and can be used to indicate to CPSC that products imported under a HTSUS code that is identified by CPSC does not require Certificate of Compliance data. Filers may submit a Disclaimer Message Set along with a Full or Reference Message Set for separate entry lines under one entry if the product can be disclaimed. If all products in the entry can be disclaimed, then the filer may submit a Disclaimer Message Set for each entry line, to indicate to CPSC that no certificate data is required.

Although optional, when filed, Disclaimer PGA Message Sets require that Intended Use Codes be provided as part of the message set.

The following table lists the required Record Identifiers associated with submitting a Disclaimer PGA Message Set:

Message Type	Description
OI	Commercial Description
PG01	PGA Line Number, PGA Agency Code, Intended Use Code, Disclaimer Qualifier

Disclaimer Examples⁵

CPSC allows filers to use Disclaimer A and B for certain categories of products. Disclaim A is to be used for products where a certificate is not required. Scenarios include: 1) products that fall within CPSC’s jurisdiction, but no rule, ban, standard, or regulation requiring a certificate applies; and 2) products that fall outside CPSC’s jurisdiction. Additionally, Disclaim A is to be used for products imported as component parts intended to be used in the manufacture or assembly of a finished product, and not intended for sale to, or use by, consumers as a finished product. eFiling only applies to finished products, meaning regulated products that are imported for consumption or warehousing, or distribution in U.S. commerce, and that are packaged, sold, or held for sale to, or for use by, consumers.

Disclaim B is to be used for products where CPSC is executing enforcement discretion and does not require a certificate for a product that has an existing rule, ban, standard, or regulation. The following products may use Disclaim B:

- Adult wearing apparel claiming exemption under 16 CFR 1610.1(d)(1) or 1610.1(d)(2).
- Household refrigerators if the product displays an appropriate safety certification mark indicating compliance.

⁵ For more information, refer to Citation, Testing Exclusion, and Disclaim guidance found at www.cpsc.gov/eFiling-Documents-Library.

Record Identifier PG01 (Input)					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 01.	
PGA Line Number	3N	5-7	M	Number required by PGAs beginning with 001 within a CBP Entry Line and sequentially incremented on subsequent PG01 records, if applicable.	
Government Agency Code	3AN	8-10	M	Code that identifies the PGA; “CPS” for CPSC.	
Government Agency Program Code	3X	11-13	M	CPSC is organized under a single program, “CPS” for CPSC.	
Government Agency Processing Code	3AN	14-16	N/A	Not Applicable.	
Electronic Image Submitted	1A	17	N/A	Not Applicable.	
Confidential Information Indicator	1A	18	N/A	Not Applicable.	
Globally Unique Product Identification Code Qualifier	4AN	19-22	N/A	Not Applicable.	
Globally Unique Product Identification Code	19X	23-41	N/A	Not Applicable.	
Intended Use Code	16X	42-57	M	The code indicating the intended use base code of the product, followed by the intended use subcode.	1
Intended Use Description	22X	58-78	C	A free text description is required if the code 980.000 is provided.	
Correction Indicator (Future Use)	1X	79	N/A	Not Applicable.	
Disclaimer	1A	80	M	A code indicating the reason data is not being provided. Valid codes are: A = product is not regulated by this agency B = data is not required per agency	

Record Identifier PG01 (Input)					
Data Element	Length/ Class	Position	Status	Description	Note
				guidance	

Note 1

The following Intended Use Codes may be used for Disclaimers. This list is only guidance and other Intended Use Codes may be used. The full list of Intended Use Codes can be found in “Appendix R – Intended Use Codes for ACE” (located at: <https://www.cbp.gov/document/guidance/appendix-r-intended-use-codes-ace>). An Intended Use Code must accompany a Disclaimer Message Set.

081.XXX	For Human Medical Use as Medical Device
090.XXX	For Military Use as a Non-Food Product
100.XXX	For Personal Use as a Non-Food Product
130.XXX	For Consumer Use as a Non-Food Product (besides 130.001-005)
155.XXX	For Commercial Assembly as a Non-Food Product
940.XXX	For Compassionate/Emergency Use of a Non-Food Product
970.XXX	For Export
980.000	For Other Use (with Intended Use Description)

Record Identifier PG01

This is a mandatory PGA input record that provides data pertaining to the PGA Line Number, Government Agency Code, and Government Agency Program Code. For each unique product within an Entry Line, a new PG01 with a new PGA Line Number should be provided.

<i>Record Identifier PG01 (Input)</i>					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 01.	
PGA Line Number	3N	5-7	M	Number required by PGAs beginning with 001 within a CBP Entry Line and sequentially incremented on subsequent PG01 records, if applicable.	
Government Agency Code	3AN	8-10	M	Code that identifies the PGA; "CPS" for CPSC.	
Government Agency Program Code	3X	11-13	M	CPSC is organized under a single program, "CPS" for CPSC.	
Government Agency Processing Code	3AN	14-16	M	Submit "REF" to indicate this is a Reference PGA Message Set.	
Electronic Image Submitted	1A	17	N/A	Not Applicable.	
Confidential Information Indicator	1A	18	N/A	Not Applicable.	
Globally Unique Product Identification Code Qualifier	4AN	19-22	N/A	Not Applicable.	
Globally Unique Product Identification Code	19X	23-41	N/A	Not Applicable.	
Intended Use Code	16X	42-57	O	The code indicating the intended use base code of the product followed by the intended use subcode.	
Intended Use Description	22X	58-78	C	If "For Other Use" (980.000) code is used, then a free text description of the intended use should be provided.	
Correction Indicator (Future Use)	1X	79	N/A	Not Applicable	
Disclaimer	1A	80	N/A	Not Applicable.	

Record Identifier PG02

This mandatory PGA input record is used to indicate whether the information being provided relates to a product or a component of a product and to provide the Product ID (“PRI”) and Version ID (“PRIV”) used by the filer in the Product Registry. The Product ID and Version ID, combined with the Certifier ID (in PG14), ensures that Certificate of Compliance data are linked accurately to the filer and product.

NOTE: Filers should ONLY report data for finished products; therefore, a PG02 with an Item Type of “P” is required. However, certificates should associate each test lab with the specific rules, bans, standards, and regulations for which they tested, regardless of whether the test was conducted on the finished product or a component part, if such testing is being used to support the affirmation of compliance. There can only be one PG02 “P” associated with a PGA Line Number.

<i>Record Identifier PG02 (Input)</i>					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 02.	
Item Type	1A	5	M	Identifies whether the information provided is for a product or a component. “P” = Product	
Product Code Qualifier	4AN	6-9	M	Code that identifies the Product ID used in the CPSC Product Registry: “PRI”	
Product Code Number	19X	10-28	M	The Product ID that is used in the CPSC Product Registry.	
Product Code Qualifier	4AN	29-32	M	Code that identifies the Product ID certificate version used in the CPSC Product Registry: “PRIV”	
Product Code Number	19X	33-51	M	The Product ID certificate version that is used in the CPSC Product Registry.	
Product Code Qualifier	4AN	52-55	N/A	Not Applicable.	
Product Code Number	19X	56-74	N/A	Not Applicable.	
Filler	6X	75-80	M	Space fill.	

Record Identifier PG14

This is a mandatory PGA input record that provides the Certifier ID. The Certifier ID is established by the importer upon creation of an account in the Product Registry. The Certifier ID, with the Product ID and Version ID (in PG02), ensures that Certificate of Compliance data are linked accurately to the filer and product.

<i>Record Identifier PG14 (Input)</i>					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 14.	
LPCO Transaction Type	1N	5	N/A	Not Applicable.	
LPCO Type	3AN	6-8	N/A	Not Applicable.	
Certifier ID (LPCO Number (or Name))	23X	9-41	M	The Certifier ID for the Product Registry.	
LPCO Date Qualifier	1N	42	N/A	Not Applicable.	
LPCO Date	8N	43-50	N/A	Not Applicable.	
LCPO Quantity	16N	51-66	N/A	Not Applicable.	
LCPO Unit of Measure	5AN	67-71	N/A	Not Applicable.	
Exemption Code	9X	72-80	N/A	Not Applicable.	

(3) Full PGA Message Set

A Full PGA Message Set includes all required data for Regulated Products. This method implies the filer is not using the CPSC's Product Registry for this particular product.

The Full Message Set allows all Certificate of Compliance data to be entered at the time of entry. The following table lists the potential Record Identifiers associated with submitting a Full PGA Message Set for Regulated Products:

Message Type	Description
OI	Commercial Description
PG01	PGA Line Number, PGA Agency Code, PGA Program Code, PGA Processing Code
PG02	Item Type (Product) and Product Code Number
PG07	Product Identifiers (Product Name, Trade/Brand Name, Manufacture Date, Additional Product Identifiers)
PG10	Optional Product Identifiers (Color, Description, Style)
PG19	Entity Role Code and Name
PG20	Entity Address Details
PG21	Entity Contact Information
PG22	Product Certificate Identifier
PG25	Optional Product Identifiers (Lot Number and Production Dates)
PG30	Lab Testing Date
PG60	Citations
PG60	Lab Test Report ID, URL, and Access Key
PG60	GPS Coordinates
PG60	Component parts description

Full PGA Message Set Sample Submission

```

123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890
OI          COMMERCIAL-DESCRIPTION-
PG01 001CPSCPSFCP  SRV)UNIQUE-PRODUCT-COD)INTENDED-USE-CO)INTENDED-USE-DESCRIP)
PG02 PSKU)SKU-NUMBER-
PG07 BRAND-NAME-
PG60 TBNBRAND-NAME-OVERFLOW-
PG10 PC9)MX-)MODEL-COLOR-DESCRIPTION-STYLE-
PG25 1LOT-NUMBER-
PG30 LMMDDCCYY
PG19 MF)SBMREG-NUMBER-
PG20 MANUFACTURER-ADDRESS2-
PG21 TELEPHONE-NUMB)EMAIL-ADDRESS-
PG19 CE) CERTIFIER-NAME-
PG20 CERTIFIER-ADDRESS2-
PG21 TELEPHONE-NUMB)EMAIL-ADDRESS-
PG19 ITL CPSC-LAB-ID-
PG60 CITCODE1
PG60 CITCODE2
PG60 CP1LAB-TEST-REPORT-ID-
PG19 LAB LABORATORY-NAME-
PG60 LAT00.000000-
PG60 LON000.000000-
PG20 LABORATORY-ADDRESS2-
PG21 TELEPHONE-NUMB)EMAIL-ADDRESS-
PG60 CITCODE3-
PG60 CITCODE4-
PG60 CP2LAB-TEST-URL-
PG60 CP3LAB-TEST-URL-ACCESS-KEY-
PG60 CP4COMPONENT-PART-DESCRIPTION-
PG19 NOL
PG60 CITCODE5-
PG22 CPY)
  
```

Identify the Product

Product Name is mandatory. Additionally, some data elements that serve to identify the product are listed with a “Status” of “C” (conditional). Out of a set of seven conditional data elements for product identification – Global Trade Item Number (GTIN), UPC, Stock Keeping Unit, Model Number, Serial Number, Registered Number, and Alternate Identifier – one of the following product identifiers must be provided to satisfy the requirement of identifying the product.

A) PG01: The ‘Globally Unique Product Identification Code Qualifier’ is provided (must equal ‘SRV’ or ‘AI’) and the corresponding ‘Globally Unique Product Identification Code’ is provided, OR

B) PG02: The ‘Product Code Qualifier’ is provided (must equal ‘SKU’) and the corresponding ‘Product Code Number’ is provided, OR

C) PG07: The ‘Item Identity Number Qualifier’ is provided (with a code of ‘MN’, ‘SE’, ‘RN’, or ‘ALT’) and the corresponding Item Identity Number is provided.

Either A, or B, or C must be provided. But trade can also provide two, or all three identifiers.

Message	Data Element	Length/ Class	Position	Status
PG01	Globally Unique Product Identification Code Qualifier (Global Trade Item Number ‘SRV’ or UPC ‘AI’)	4AN	19-22	C
	Globally Unique Product Identification Code	19X	23-41	C
PG02	Product Code Qualifier (Stock Keeping Unit ‘SKU’)	4AN	6-9	C
	Product Code Number	19X	10-28	C
PG07	Item Identity Number Qualifier (Model Number ‘MN’, Serial Number ‘SE’, Registered Number ‘RN’, or Alternate Identifier ‘ALT’.)	3AN	61-63	C
	Item Identity Number	17X	64-80	C

All these product identifiers are optional; however, CPSC would like trade to provide as many as possible.

Message	Data Element	Length/ Class	Position	Status
PG01	Intended Use Code	16X	42-57	O
PG07	Trade Name/Brand Name	35X	5-39	O
PG10	Commodity Characteristic Qualifier (Model Color ‘MC’, Model Description ‘MD’, Model Style ‘MS’)	4X	16-19	O
PG25	Lot Number	25X	16-40	O

Record Identifier OI

This PGA line item description input record is mandated by CBP and provides the description of the product. This record precedes the Record Identifiers for the PGA Message set. The OI record is a generic description record. Multiple OI records are allowed per Entry Line.

<i>Record Identifier OI (Input)</i>					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal OI.	
Filler	8AN	3-10	M	Space fill.	
Commercial Description	70X	11-80	M	A clear description of the commercial line item in English. For example, CHILDRENS PUZZLE.	

Record Identifier PG01

This is a mandatory PGA input record that provides data pertaining to the PGA Line Number, Government Agency Code, Government Agency Program Code, Globally Unique Product Identification Code, and Intended Use Code. For each unique product within an Entry Line, a new PG01 with a new PGA Line Number should be provided.

<i>Record Identifier PG01 (Input)</i>					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 01.	
PGA Line Number	3N	5-7	M	Number required by PGAs beginning with 001 within a CBP Entry Line and sequentially incremented on subsequent PG01 records, if applicable.	
Government Agency Code	3AN	8-10	M	Code that identifies the PGA; "CPS" for CPSC.	
Government Agency Program Code	3X	11-13	M	CPSC is organized under a single program, "CPS" for CPSC.	
Government Agency Processing Code	3AN	14-16	M	Submit "FCP" to indicate this is a Full PGA Message Set for a Children's Product Certificate (CPC). Submit "FGC" to indicate this is a Full PGA	

Record Identifier PG01 (Input)					
Data Element	Length/ Class	Position	Status	Description	Note
				Message Set for a General Certificate of Conformity (GCC).	
Electronic Image Submitted	1A	17	N/A	Not Applicable.	
Confidential Information Indicator	1A	18	N/A	Not Applicable.	
Globally Unique Product Identification Code Qualifier	4AN	19-22	C	Code indicating the type of globally unique number used to identify the commercial product or commodity.	1
Globally Unique Product Identification Code	19X	23-41	C	If identifying a Unique Product Code Qualifier in the previous data element, then identify the Unique Product Code Number here.	
Intended Use Code	16X	42-57	O	The code indicating the intended use base code of the product, followed by the intended use subcode.	2
Intended Use Description	21X	58-78	C	If “For Other Use” (980.000) code is used, then a free text description of the intended use is mandatory.	
Correction Indicator (Future Use)	1X	79	N/A	Not Applicable.	
Disclaimer	1A	80	N/A	Not Applicable.	

Note 1

List of Globally Unique Product Identification Code Qualifiers applicable to CPSC:

Code	Name	Definition
SRV	GS1 Global Trade Item Number (GTIN)	A globally unique 14-digit number assigned to a product according to the numbering structure of the GS1 system.
AI	UPC (Universal Product Code)	A globally unique number assigned to consumer units of a product for use at point-of-sale registers according to the numbering structure of the GS1 system.

Note 2

The full list of Intended Use Codes can be found in “Appendix R – Intended Use Codes for

ACE” (<http://www.cbp.gov/document/guidance/appendix-r-intended-use-codes-ace>). Use Codes applicable to consumer products are limited to 130.000 through 130.006.

<i>Code</i>	<i>Name</i>	<i>Definition</i>
130.000		Intended use conforms to the general base code definition of “130”
130.001		Consumer product, such as a toy or furniture, designed or primarily intended for use by Infants aged 0 through 18 months
130.002		Consumer product, such as a toy or furniture, designed or primarily intended for use by Toddlers aged 19 to 36 months
130.003		Consumer product, such as a toy or furniture, designed or primarily intended for use by Children aged 3 to 6 years
130.004		Consumer product, such as a toy or furniture, designed or primarily intended for use by Adolescents aged 6 to 8 years
130.005		Consumer product, such as a toy or furniture, designed or primarily intended for use by Adolescents aged 8 to 12 years
130.006		Consumer product, such as a toy or furniture, designed or primarily intended for use by people aged 13 years or older

Record Identifier PG02

This mandatory PGA input record is used to indicate whether the information being provided relates to a product or a component of a product and is mandated by CBP. This record can also be used to provide non-globally unique product numbers, such as a Stock Keeping Unit (SKU) number.

NOTE: Filers should ONLY report data for finished products; therefore, a PG02 with an Item Type of “P” is required. However, certificates should associate each test lab with the specific rules, bans, standards, and regulations for which they tested, regardless of whether the test was conducted on the finished product or a component part, if such testing is being used to support the affirmation of compliance. There can only be one PG02 “P” associated with a PGA Line Number.

<i>Record Identifier PG02 (Input)</i>					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 02.	
Item Type	1A	5	M	Identifies whether the information provided is for a product or a component. “P” = Product Only finished products are subject to eFiling. Therefore, “P” is required.	
Product Code Qualifier	4AN	6-9	C	Code identifying the type of Product Code being provided in the next data element.	1
Product Code Number	19X	10-28	C	If identifying a Product Code Qualifier in the previous data element, then identify the Product Code Number here.	
Product Code Qualifier	4AN	29-32	N/A	Not Applicable.	
Product Code Number	19X	33-51	N/A	Not Applicable.	
Product Code Qualifier	4AN	52-55	N/A	Not Applicable.	
Product Code Number	19X	56-74	N/A	Not Applicable.	
Filler	6X	75-80	M	Space fill.	

Note 1

The only applicable Product Code Qualifier for CPSC is SKU, so the remaining Product Code Qualifier and Number fields are grayed out.

<i>Code</i>	<i>Name</i>	<i>Definition</i>
SKU	Stock Keeping Unit	A reference number used by a manufacturer to distinguish one product from the others it manufactures.

Record Identifier PG07

This mandatory PGA input record provides data pertaining to Brand Name, Product Name, Manufacture Month and Year, Item Identity Number Qualifier, and Item Identity Number. PG07 may be repeated to provide multiple types of item Identity Numbers. If repeated, the Product Name and Manufacture Month and Year must be repeated. PG60 may be used immediately after this record to provide additional information that did not fit within the character limits of this record.

<i>Record Identifier PG07 (Input)</i>					
Data Element	Length / Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 07.	
Trade Name/Brand Name	35X	5-39	O	The brand name of the product.	
Product Name (Model)	15X	40-54	M	The name of the product. For example, "KIDUZZLE PUZZLE."	
Manufacture Month and Year	6N	55-60	M	The month and year the product was manufactured. The format is MMCCYY (month, century, year).	
Item Identity Number Qualifier	3AN	61-63	C	A model, serial, registered number, or other unique identifier of the product. The qualifier indicates the type of Item Identity Number that will follow.	1
Item Identity Number	17X	64-80	C	If identifying the type of Item Identity Number Qualifier in the previous data element, then identify the unique identifier number here.	

Note 1

Item Identity Number Qualifiers for CPSC use:

<i>Code</i>	<i>Name</i>	<i>Definition</i>
MN	Model Number	The model number of the product
SE	Serial Number	Identification number of an item, which distinguishes this specific item out of a number of identical items
RN	Registered Number	Registered Number
ALT	Alternate Identifier	A unique identifier of the product that does not align with the other Identity Number Qualifiers' categories provided

Record Identifier PG10

This optional PGA input record is used to provide additional characteristics of a product, not reported elsewhere in the PGA Message Set. Specifically, this record can be used to provide the model color, description, and/or style of a product. This record can be repeated to provide multiple product characteristics.

Record Identifier PG10 (Input)					
Data Element	Length/Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 10.	
Category Type Code	6AN	5-10	N/A	Not Applicable.	
Category Code	5AN	11-15	N/A	Not Applicable.	
Commodity Qualifier Code	4X	16-19	M	Code indicating qualifier code for CPSC: "PC9."	
Commodity Characteristic Qualifier	4AN	20-23	O	A model color, description, or style of a product. The qualifier indicates the type of Commodity Characteristic Description that will follow.	1
Commodity Characteristic Description	57X	24-80	C	If identifying the type of Commodity Characteristic Qualifier in the previous data element, then provide a free text description of the product pertaining to that qualifier here.	

Note 1

Commodity Characteristic Qualifiers for CPSC use:

Code	Name	Definition
MC	Model Color	Model Color(s)
MD	Model Description	Model Description(s)
MS	Model Style	Model Style(s)

PGA Message Set Structure PG19 – 21:

PG19 through PG21 are records that will be used to provide:

- A. An Entity: Certifying Entity, Manufacturer, Independent Third Party Lab, Lab, No Lab testing required, Point of Contact.
 - Each Full Message Set requires a Manufacturer and at least one of the lab entity options.
 - If “FCP” is used as the Government Agency Processing Code in PG01, then only an Independent Third Party Lab “ITL” can be reported.
 - The Certifying Entity is only required if the Importer of Record (IOR) is not certifying the certificate data.⁶
 - The Point of Contact (party maintaining records of test results) is only required if the Importer of Record (IOR) is not maintaining the records.⁷
- B. Necessary contact information of that Entity: Name, Address (or GPS coordinates), Email, Phone Number.

Each Full PGA Message Set for Regulated Products will have at least two PG19–21 groupings to provide the required information.

⁶ If this Entity Code is not provided, CPSC will consider the IOR as certifying the Certificate of Compliance data. This entity could be the importer, manufacturer, or private labeler.

⁷ If this Entity Code is not provided, CPSC will contact the IOR for the records of the test reports. The party can be a firm name or position title.

Record Identifier PG19

This is a mandatory PGA input record used to identify the entities and facilities (foreign and domestic) associated with the product, including the manufacturer (MF) and laboratory (LAB or ITL). A PG19 record can be submitted for the same laboratory more than once in order to differentiate separate instances of testing when component parts were tested in addition to the finished product. In that scenario, a PG60 with the "Component part description" qualifier code (CP4) can be provided after each instance to name/describe the component part that the testing information applies to.

This record is also used to identify several conditional entities: no lab testing (NOL) if a testing exclusion for the product applies; the certifying entity (CE) if the certifying entity is not the IOR; and point of contact or individual maintaining the test results (PK) if the point of contact is not the IOR.

PG60 with Citation Codes must immediately follow PG19 for "ITL" and "LAB." PG60 with a Testing Exclusion Code must immediately follow PG19 for "NOL."

PG60 may be used after this record (after the PG60 with Citation Codes) to provide additional information that did not fit within the character limits of this record, or to provide GPS coordinates if a standard physical address is not available.

Record Identifier PG19 (Input)					
Data Element	Length/Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 19.	
Entity Role Code	3AN	5-7	M	Entity Role Codes as provided below.	1
Entity Identification Code	3AN	8-10	C	If Entity Role Code is "MF" and has a testing exclusion as a Small Batch Manufacturer, then the code "SBM" should be provided.	2
CPSC Lab ID or Small Batch Manufacturer Registry ID (Entity Number)	15X	11-25	C	If Entity Role Code is "ITL", then it is mandatory to reference the CPSC Accepted Lab via the four-digit Lab ID number; If Entity Role Code is "MF" and Entity Identification Code is "SBM," then it is mandatory to provide the Small Batch Manufacturer Registry ID. Otherwise, leave blank.	3
Entity Name	32X	26-57	C	If Entity Role Code is "CE", "LAB", "MF", or "PK", then the name of the Certifying Entity, Lab, Manufacturer, or Point of Contact is mandatory. Otherwise, leave blank.	

Entity Address 1	24X	58-80	C	If Entity Role Code is “CE”, “LAB”, “MF”, or “PK” Entity Address 1 is mandatory unless GPS coordinates are provided instead of an address. If providing GPS coordinates, "GPS" should be provided in this field.
------------------	-----	-------	---	--

Note 1

List of Entity Role Codes applicable to CPSC:

<i>Code</i>	<i>Name</i>	<i>Definition</i>
CE ⁸	Certifying Entity	Importer, Manufacturer, or Private Labeler who is certifying the certificate data. If selecting this entity, please provide the address in PG19 & PG20 and the contact information in PG21.
ITL	Independent Third Party Laboratory	A CPSC-Accepted Testing Laboratory that has been accredited to assess conformity with children's product safety rules. If selecting this entity, then it is mandatory to reference the CPSC-Accepted Lab via the four-digit Lab ID number.
LAB	Laboratory	Any Laboratory that is not a CPSC-Accepted Testing Laboratory and has not been accredited to assess conformity with children's product safety rules. If selecting this entity, please provide the address where the test was conducted in the address fields of PG19 & PG20 and the contact information in PG21.
MF	Manufacturer of goods	Entity that manufactures the product and the address where the product was manufactured. If selecting this entity, please provide the address in PG19 & PG20 and the contact information in PG21.
NOL ⁹	No Lab testing required	No Lab testing required for testing exclusions that are identified in the subsequent PG60 Message.
PK ¹⁰	Point of Contact	Individual maintaining records of test results. If selecting this entity, please provide the address in PG19 & PG20 and the contact information in PG21. The individual may be a position title.

⁸ Use Entity Code “CE” for shipments where an entity other than the IOR is certifying the Certificate of Compliance data. For example, if the IOR is an authorized customs broker, the customs broker may identify the owner, purchaser, or consignee of the finished products who authorized the customs broker to make entry, as the party responsible for compliance with CPSC certificate requirements as part of the finished product certificate data filed in CPSC’s PGA Message Set. For finished products that may not have an IOR, such as products imported by mail, the importer for purposes of CPSC’s certificate requirements is a party eligible to make entry for the finished products pursuant to CBP statutes and regulations, who may be an owner, purchaser, consignee, or authorized customs broker. If this Entity Code is not provided, CPSC will consider the IOR as certifying the Certificate of Compliance data.

⁹ The Entity Role Code "NOL" is to be used in cases where a consumer product is subject to a CPSC rule, but testing to that rule is not required.

¹⁰ If this Entity Code is not provided, CPSC will contact the IOR for the records of the test reports. The party can be a firm name or position title.

Note 2: Requirements and registration information for Small Batch Manufacturers can be found at the following URL:
<https://www.cpsc.gov/Business--Manufacturing/Small-Business-Resources/Small-Batch-Manufacturers-and-Third-Party->

Note 3: The current list of CPSC-Accepted Labs is published by CPSC at the following URL:
<http://www.cpsc.gov/cgi-bin/LabSearch/Default.aspx>

Record Identifier PG20

This PGA input record provides additional data pertaining to Entity identification, such as Entity Address 2, Apartment/Suite, City, State/Province, Country, and Zip/Postal Code. This record is used with the PG19 and is required when the PG19 Entity Role Code = CE, LAB, MF, or PK. PG60 may be used immediately after this record to provide additional information that did not fit within the character limits of this record.

<i>Record Identifier PG20 (Input)</i>					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 20.	
Entity Address 2	32X	5-36	O	Address Line 2 for the Entity.	
Entity Apartment Number/Suite Number	5X	37-41	O	Apartment/Suite number of the entity.	
Entity City	21X	42-62	C	City of the entity.	
Entity State/Province	3AN	63-65	C	State/Province of the entity. See Appendix B in the ACE ABI CATAIR for valid codes.	1
Entity Country	2A	66-67	C	ISO Country Code. See Appendix B in the ACE ABI CATAIR for valid codes.	
Entity Zip/Postal Code	9X	68-76	C	Zip/Postal Code of the entity.	2
Filler	4X	77-80	M	Space fill.	

Note 1

Entity State/Province is mandatory if Country Code is the United States ("US"), Canada ("CA"), or Mexico ("MX"); otherwise, this data element is optional.

Note 2

Entity Zip/Postal Code is mandatory if Country Code is United States ("US") or Canada ("CA"); otherwise, this data element is optional.

Record Identifier PG21

This PGA input record provides data pertaining to Entity contact information, such as Telephone Number of the Entity and Email Address of the Entity. This record must be provided when the PG19 Entity Role Code = CE, LAB, MF, or PK. This record can be repeated in cases where multiples of these data elements need to be reported for a single Entity. (For example, for reporting two phone numbers or emails). PG60 may be used immediately after this record to provide additional information that did not fit within the character limits of this record.

Record Identifier PG21 (Input)					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 21.	
Individual Qualifier	3AN	5-7	N/A	Not Applicable.	
Individual Name	23X	8-30	N/A	Not Applicable.	
Telephone Number of the Entity	15X	31-45	C	Telephone Number of the “CE,” “LAB,” “MF,” or “PK.”	
Email Address for the Entity	35X	46-80	C	Email Address of the “CE,” “LAB,” “MF,” or “PK.”	

Record Identifier PG22

This is a mandatory PGA input record that indicates certification of the finished product(s) covered by this certificate, which is the responsibility of the certifying entity. CPSC will consider the IOR as the certifying entity. If that is not the case, then entity code “CE” for Certifying Entity should be provided in PG19.

Record Identifier PG22 (Input)					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 22.	
Importers Substantiating Signed Document /Signed Confirmation Letter	1A	5	N/A	Not Applicable.	
Document Identifier	7AN	6-12	N/A	Not Applicable.	
Conformance Declaration	5X	13-17	N/A	Not Applicable.	
Entity Role Code	3AN	18-20	N/A	Not Applicable.	
Product Certificate Indicator (Declaration Code)	4AN	21-24	M	The certifying entity certifies that the finished product(s) covered by this certificate comply with the rules, bans, standards, and regulations stated herein, and that the information in this certificate is true and accurate to the best of my knowledge, information, and belief. The certifying entity understands and acknowledges that it is a United States federal crime to knowingly and willfully make any materially false, fictitious, or fraudulent statements, representations, or omissions, on this certificate. "CPY" for "Yes," "CPN" for "No."	
Declaration Certification	1A	25	N/A	Not Applicable.	
Date of Signature	8N	26-33	N/A	Not Applicable.	
Invoice Number	17X	34-50	N/A	Not Applicable.	
Compliance Description	30X	51-80	N/A	Not Applicable.	

Record Identifier PG25

This is an optional PGA input record for data pertaining to the Production Start Date and Production End Date of the Lot. The Lot Number is optional. This record is repeatable for multiple Lot Numbers.

Record Identifier PG25 (Input)					
Data Element	Length/ Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 25.	
Temperature Qualifier	1A	5	N/A	Not Applicable.	
Degree Type	1A	6	N/A	Not Applicable.	
Negative Number	1A	7	N/A	Not Applicable.	
Actual Temperature	6N	8-13	N/A	Not Applicable.	
Location of Temperature Recording	1A	14	N/A	Not Applicable.	
Lot Number Qualifier	1AN	15	O	Code of the entity that assigned the Lot Number. 1 = Manufacturer 2 = Seller	
Lot Number	25X	16-40	C	The Lot Number that the manufacturer or seller assigned to the product. If Lot Number Qualifier is selected, then the Lot Number is mandatory.	
Production Start Date of the Lot	8N	41-48	O	The date when the production for the Lot started. A numeric date in MMDDCCYY (month, day, century, year) format.	
Production End Date of the Lot	8N	49-56	O	The date when the production for the Lot ended. A numeric date in MMDDCCYY (month, day, century, year) format.	
PGA Line Value	12N	57-68	N/A	Not Applicable.	
PGA Unit Value	12N	69-80	N/A	Not Applicable.	

Record Identifier PG30

This is a mandatory PGA input record that provides data pertaining to the date of previous laboratory testing by entities identified by “ITL” or “LAB” in PG19. This record must be submitted before all PG19 lines. If multiple laboratories are provided, then the latest date of laboratory testing should be provided.

Record Identifier PG30 (Input)					
Data Element	Length/Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 30.	
Inspection/ Laboratory Testing Status	1A	5	M	Must select: L = Lab testing previously performed. N = No laboratory testing performed	
Date of Previous Inspection/ Laboratory Testing	8N	6-13	C	If Inspection/Laboratory Testing Status code of "L" is provided, a numeric date in MMDDCCYY (month, day, century, year) format is required.	
Requested or Scheduled Time of Inspection; Time of Previous Inspection/Lab Testing; Arrival time	4N	14-17	N/A	Not Applicable	
Inspection or Arrival Location Code	4AN	18-21	N/A	Not Applicable	
Inspection or Arrival Location	50X	22-71	N/A	Not Applicable	
Filler	9X	72-80	M	Space fill	

Record Identifier PG60

This is a mandatory PGA input record that provides data pertaining to the Citation Code for entities identified by “ITL,” “LAB,” or “NOL” in PG19. There should be a PG60 record for each consumer product safety rule under the CPSA, or similar rule, ban, standard, or regulation under any law enforced by the Commission, which the product has been certified to or has a testing exclusion from. PG60 with a Citation Code or Testing Exclusion Code must immediately follow PG19 for “ITL”, “LAB,” and “NOL.”

PG60 is also an optional PGA input record for data pertaining to additional lab test information, including: test report ID, test report URL, test report access key and component part description. This record may be provided when “ITL” or “LAB” is provided as the PG19 Entity Role Code and should follow PG60 records for Citation Codes. This record can be repeated in cases where multiples of these data elements need to be reported for a single Entity. (When reporting a URL, the filer can omit “https://www.” from the URL to allow for more space.)

PG60 can also be used to provide GPS coordinates for entities when a standard street address is not available. When providing GPS coordinates, a PG60 for latitude and a PG60 for longitude must be provided. If providing coordinates for an entity of type "LAB", coordinates should be provided *after* all citation information.

PG60 can also be used to provide additional information about data in the PG record that precedes it during the submission of a PGA record set. This record can follow a PG07, PG19, 20 or 21 record, and can only be used to provide the additional information noted by the additional reference qualifier code list. These codes are valid based on the designated parent record it appears immediately after. This record may be repeated.

Record Identifier PG60 (Input)					
Data Element	Length/Class	Position	Status	Description	Note
Control Identifier	2A	1-2	M	Must always equal PG.	
Record Type	2N	3-4	M	Must always be 60.	
Additional information qualifier code	3AN	5-7	M	Code indicating the type of additional information being provided.	1
Additional Information	72X	8-80	M	When “CIT” is used, state the consumer product safety rule under the CPSA, or similar rule, ban, standard, or regulation under any law enforced by the Commission, to which the product is being certified, using the Citation Codes reference table.	2

				<p>When “CP1”, “CP2”, and/or “CP3” is used, provide as free form text the lab test report ID, URL, and/or access key.</p> <p>When "CP4" is used, provide a text description of the component part that was tested by the lab identified in the preceding PG19 record.</p>	
--	--	--	--	---	--

Note 1

List of Additional Information Qualifier Codes only applicable to CPSC:

<i>Code</i>	<i>Name</i>	<i>Definition</i>
CIT	Citation	A consumer product safety rule under the CPSA, or similar rule, ban, standard, or regulation under any law enforced by the Commission

List of Additional Information Qualifier Codes for alternative location data:

<i>Code</i>	<i>Name</i>	<i>Definition</i>
LAT	Latitude	The latitude value of GPS coordinates in Decimal Degrees (DD) format. No degree symbol is needed, positive and negative values should be used instead of letter-based cardinal indicators, and between 4 and 7 decimal places should be provided. Both Latitude and Longitude must be provided when "GPS" is provided in the Entity Address 1 field within a PG19.
LON	Longitude	The longitude value of GPS coordinates in Decimal Degrees (DD) format. No degree symbol is needed, positive and negative values should be used instead of letter-based cardinal indicators, and between 4 and 7 decimal places should be provided. Both Latitude and Longitude must be provided when "GPS" is provided in the Entity Address 1 field within a PG19.

List of Additional Information Qualifier Codes for lab test reports:

<i>Code</i>	<i>Definition</i>
CP1	Lab test report ID
CP2	Lab test report URL
CP3	Access key to lab test report URL
CP4	Component part description

List of Additional Information Qualifier Codes for overflow data:

<i>Code</i>	<i>Definition</i>
AD1	Entity address 1 overflow for PG19
AD2	Entity address 2 overflow for PG20
AD3	Entity address Line 3 for PG20
AD4	Entity address Line 4 for PG20
AD5	Entity address Line 5 for PG20
ECI	Entity city overflow for PG20
ENA	Entity name overflow for PG19
TEL	Telephone number overflow for PG21
EMA	Email overflow for PG21
INA	Individual Name overflow for PG21
TBN	Trade name/brand name overflow for PG07
PMN	Product name overflow for PG07


Note 2:

A list of Citation Codes is available at <https://cpsc.gov/eFiling-Document-Library>.

PGA Message Set Order

The ordering of the records for the Full PGA Message Set will be used to denote a hierarchy of parent/child data elements. An illustration of that hierarchy follows:

Figure 2: Full PGA Message Set Hierarchy



An example of the PGA message order and groupings based on the above hierarchy illustration within the existing framework of CBP's PGA message design follows:

- OI Commercial Description
- PG01 PGA Line Number & PGA Agency Code
- PG02 Item Type (Product) and Product Code Number
 - PG07 Product Identifiers (Product Name, Trade/Brand Name, Manufacture Date, Additional Product Identifiers)
 - PG10 Optional Product Identifiers (Color, Description, Style)
 - PG25 Lot Number and Production Start/End Dates
 - PG30 Lab Test Date
 - PG19 (MF) Manufacturer – Name
 - PG60 GPS Coordinates (Latitude)
 - PG60 GPS Coordinates (Longitude)
 - PG20 Manufacturer – Address
 - PG21 Manufacturer – Telephone Number & Email Address

 - PG19 (CE) Certifying Entity – Name
 - PG20 Certifying Entity – Address
 - PG21 Certifying Entity – Telephone Number & Email Address

 - PG19 (PK) Point of Contact – Name
 - PG20 Point of Contact – Address
 - PG21 Point of Contact – Telephone Number & Email Address
 - PG19 (ITL) CPSC Accredited Lab – CPSC Lab ID
 - PG20 none
 - PG21 none
 - PG60 Citation 1
 - PG60 Citation 2
 - PG60 Optional Test Report ID
 - PG60 Optional Test Report URL (or Access Key)
 - PG60 Optional Component Part Description
 - PG19 (LAB) – Name
 - PG60 Citation 3
 - PG60 Citation 4
 - PG20 Lab Address
 - PG21 Lab Telephone Number & Email
 - PG60 Optional Test Report ID or Test Report URL/Access Key
 - PG19 (NOL) No Lab Testing Required
 - PG20 None
 - PG21 None
 - PG60 Testing Exclusion Citation
 - PG22 Product Certificate Indicator

Appendix

Certain data elements in the CATAIR are fundamental to the CBP system design and are therefore mandatory for all PGAs. The following table identifies each data element in the Full PGA Message Set for Regulated Products.

Message	Data Element	Status	Description
OI	Commercial Description	M	A clear description of the commercial line item in English. For example, BICYCLE HELMETS.
PG01	PGA Line Number	M	Number required by PGAs beginning with 001 within a CBP line and sequentially incremented on subsequent PG01 records, if applicable.
	Government Agency Code	M	Code that identifies the PGA; "CPS" for CPSC.
	Government Agency Program Code	M	CPSC is organized under a single program; "CPS" for CPSC
	Government Agency Processing Code	M	"REF" to indicate this is a Reference PGA Message Set "FCP" to indicate this is a Full PGA Message Set for Regulated Products with a Children's Product Certificate (CPC) "FGC" to indicate this is a Full PGA Message Set for Regulated Products with a General Certificate of Conformity (GCC)
	Globally Unique Product Identification Code Qualifier	C	Code indicating the type of globally unique number used to identify the commercial product or commodity.
	Globally Unique Product Identification Code	C	If identifying a Unique Product Code Qualifier in the previous data element, then identify the Unique Product Code Number here.
	Intended Use Code	O	The code indicating the intended use base code of the product followed by the intended use subcode.
	Intended Use Description	C	If "For Other Use" (980.000) code is used, then a free text description of the intended use is mandatory.
PG02	Item Type	M	Identifies whether the information provided is for a product or a component. "P" = Product
	Product Code Qualifier	C	Code identifying the type of Product Code being provided in the next data element.
	Product Code Number	C	If identifying a Product Code Qualifier in the previous data element, then identify the Product Code Number here.
PG07	Trade Name / Brand Name	O	The brand name of the product.
	Product Name	M	The name of the product.

Message	Data Element	Status	Description
	Manufacture Month and Year	M	The month and year the product was manufactured. The format is MMCCYY (month, century, year).
	Item Identity Number Qualifier	C	A model number, style number, or other unique identifier of the product. The qualifier indicates the type of Item Identity Number that will follow.
	Item Identity Number	C	If identifying the type of Item Identity Number Qualifier in the previous data element, then identify the model, style, or other unique identifier number here.
PG10	Commodity Characteristic Qualifier	O	A model color, description, or style of a product. The qualifier indicates the type of Commodity Characteristic Description that will follow.
	Commodity Characteristic Description	C	If identifying the type of Commodity Characteristic Qualifier in the previous data element, then provide a free text description of the product pertaining to that qualifier here.
PG19	Entity Role Code	M	Select an Entity Role Code.
	Entity Identification Code	C	If Entity Role Code is "MF" and has a testing exclusion as a Small Batch Manufacturer, then the code "SBM" should be provided.
	CPSC Lab ID (Entity Number)	C	If Entity Role Code is "ITL," then it is mandatory to reference the CPSC Accepted Lab via the 4 digit Lab ID number.
	Entity Name	C	Name of the Entity.
	Entity Address 1	C	Address Line 1 for the Entity.
PG20	Entity Address 2	O	Address Line 2 for the Entity.
	Entity Apartment Number/Suite Number	O	Apartment/Suite number of the entity.
	Entity City	C	City of the entity.
	Entity State/Province	C	State/Province of the entity. See Appendix B in the ACS ABI CATAIR for valid codes.
	Entity Country	C	ISO Country Code. See Appendix B in the ACS ABI CATAIR for valid codes.
	Entity Zip/Postal Code	C	Zip/Postal Code of the entity.
PG21	Telephone Number of the Individual	C	Telephone Number of the Entity.
	Email Address or Fax Number for the Individual	C	Email Address of the Entity.
PG22	Product Certificate Indicator (Declaration Code)	M	Indicate existence of a Certificate that meets the requirements of sections 14 and 17 of the CPSA, and 16 CFR part 1110 for the regulated finished product; "CPY" for "Certificate Exists" "CPN" for "No Certificate Exists"
PG25	Lot Number Qualifier	O	Code of the entity that assigned the Lot number.
	Lot Number	O	The lot number that the manufacturer/seller assigned to the

Message	Data Element	Status	Description
			product.
	Production Start date of the Lot	O	The date when the production for the Lot started. A numeric date in MMDDCCYY (month, day, century, year) format.
	Production End Date of the Lot	O	The date when the production for the Lot ended. A numeric date in MMDDCCYY (month, day, century, year) format.
PG30	Laboratory Testing Status	M	Must select: L = lab testing previously performed. N = no laboratory testing performed
	Laboratory Testing Date	C	If previous code is L, a numeric date in MMDDCCYY (month, day, century, year) format.
PG60	Citation Code Qualifier	M	Qualifier indicating that a Citation Code follows.
	Citation Code	M	State the consumer product safety rule under the CPSA, or similar rule, ban, standard, or regulation under any law enforced by the Commission, to which the product is being certified using the reference table available on CPSC's website.
	Lab Test Report Code Qualifier	O	Qualifier indicating that a test report ID, URL, access code, or component part description follows.
	Lab Test Report Code	O	As free form text, provide the lab test report ID, URL, access key or component part description.
	GPS Latitude Coordinates Qualifier	C	Qualifier indicating that latitude coordinates follow.
	GPS Latitude Coordinates	C	The Latitude GPS coordinates of an entity's location.
	GPS Longitude Coordinates Qualifier	C	Qualifier indicating that longitude coordinates follow.
	GPS Longitude Coordinates	C	The Longitude GPS coordinates of an entity's location.
	Additional information Code Qualifier	O	Qualifier indicating that additional information for a PG07, 19, 20, or 21 record follows.
	Additional information	O	Additional information for a PG07, 19, 20, or 21 record.